

GenCore version 5.1.3
Copyright (c) 1993 - 2002 Compugen Ltd.

OM protein - protein search, using sw model

Run on: November 18, 2002, 15:56:57 ; Search time 36 Seconds

(without alignments)
529.301 Million cell updates/sec

Title: US-09-284-100a-2_COPY_66_208

Sequence: 1 HVRSYNHLQGVRRKRLFSF.....GQTRRNKTSNHLPLWVHS 143

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 908470 seqs, 133250620 residues

Minimum DB seq length: 0 908470

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

```
1: /SID52/gcgdata/geneseq/geneseq-emb1/AA1980.DAT:*
2: /SID52/gcgdata/geneseq/geneseq-emb1/AA1981.DAT:*
3: /SID52/gcgdata/geneseq/geneseq-emb1/AA1982.DAT:*
4: /SID52/gcgdata/geneseq/geneseq-emb1/AA1983.DAT:*
5: /SID52/gcgdata/geneseq/geneseq-emb1/AA1984.DAT:*
6: /SID52/gcgdata/geneseq/geneseq-emb1/AA1985.DAT:*
7: /SID52/gcgdata/geneseq/geneseq-emb1/AA1986.DAT:*
8: /SID52/gcgdata/geneseq/geneseq-emb1/AA1987.DAT:*
9: /SID52/gcgdata/geneseq/geneseq-emb1/AA1988.DAT:*
10: /SID52/gcgdata/geneseq/geneseq-emb1/AA1989.DAT:*
11: /SID52/gcgdata/geneseq/geneseq-emb1/AA1990.DAT:*
12: /SID52/gcgdata/geneseq/geneseq-emb1/AA1991.DAT:*
13: /SID52/gcgdata/geneseq/geneseq-emb1/AA1992.DAT:*
14: /SID52/gcgdata/geneseq/geneseq-emb1/AA1993.DAT:*
15: /SID52/gcgdata/geneseq/geneseq-emb1/AA1994.DAT:*
16: /SID52/gcgdata/geneseq/geneseq-emb1/AA1995.DAT:*
17: /SID52/gcgdata/geneseq/geneseq-emb1/AA1996.DAT:*
18: /SID52/gcgdata/geneseq/geneseq-emb1/AA1997.DAT:*
19: /SID52/gcgdata/geneseq/geneseq-emb1/AA1998.DAT:*
20: /SID52/gcgdata/geneseq/geneseq-emb1/AA1999.DAT:*
21: /SID52/gcgdata/geneseq/geneseq-emb1/AA2000.DAT:*
22: /SID52/gcgdata/geneseq/geneseq-emb1/AA2001.DAT:*
23: /SID52/gcgdata/geneseq/geneseq-emb1/AA2002.DAT:*
```

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	765	100.0	146	19	AAW52584
2	765	100.0	146	22	AAB60204
3	765	100.0	147	20	AAV32899
4	765	100.0	147	21	AA10314
5	765	100.0	147	22	AA10314
6	765	100.0	152	19	AAW57312
7	765	100.0	162	19	AAW52583
8	765	100.0	162	22	AAB60207
9	765	100.0	170	19	AAW59054
10	765	100.0	170	19	AAW52582

11	765	100.0	170	22	AAB60206
12	765	100.0	171	19	AAW53798
13	765	100.0	171	20	AA132908
14	765	100.0	171	21	AA10324
15	765	100.0	171	22	AA10324
16	765	100.0	174	19	AAW53793
17	765	100.0	174	20	AAW53793
18	765	100.0	174	20	AAW53793
19	765	100.0	174	20	AAW53793
20	765	100.0	174	20	AAW53793
21	765	100.0	174	21	AA10311
22	765	100.0	174	21	AA10311
23	765	100.0	174	21	AA10311
24	765	100.0	174	22	AA10311
25	765	100.0	174	22	AA10311
26	765	100.0	174	22	AA10311
27	765	100.0	174	20	AAW52581
28	765	100.0	174	21	AA10309
29	765	100.0	174	21	AA10309
30	765	100.0	174	21	AAW59053
31	765	100.0	174	21	AAW59053
32	765	100.0	174	21	AAW59053
33	765	100.0	174	21	AAW59053
34	765	100.0	174	21	AAW59053
35	765	100.0	174	21	AAW59053
36	765	100.0	174	21	AAW59053
37	765	100.0	174	21	AAW59053
38	765	100.0	174	21	AAW59053
39	765	100.0	174	21	AAW59053
40	765	100.0	174	21	AAW59053
41	765	100.0	174	21	AAW59053
42	765	100.0	174	21	AAW59053
43	765	100.0	174	21	AAW59053
44	765	100.0	174	21	AAW59053
45	765	100.0	174	21	AAW59053

ALIGNMENTS

Human KGF-2 deleti
KGF-2 mutant, KGF2
E.coli optimised K
Human KGF-2 mutant
KGF-2 mutant #5.
E.coli optimised K
E. coli optimised
E. coli optimised
Truncated E. coli
Human KGF-2 E. coli
Human KGF-2 E. coli
Human KGF-2 E. coli
Escherichia coli o
Escherichia coli o
KGF-2 deletion con
E. coli optimised K
Human KGF-2 const
PQ60-Cys37 const
His rrf10 protein
Human KGF-2 deleti
Human fibroblast g
Recombinant kerati
Human keratinocyte
E. coli optimised K
Keratinocyte growt
Human keratinocyte
E. coli optimised
Human keratinocyte
Human fibroblast g
Human FGF-10 prote
Human fibroblast g
Human keratinocyte
Fibroblast growth
Human keratinocyte
Human KGF-2 E. col

RESULT 1	AAW52584	standard; Protein; 146 AA.
ID	AAW52584	
AC	AAW52584	
DT	15-JUL-1998	(first entry)
DE	KGF-2 deletion mutant A63-S208.	
KW	Keratinocyte growth factor-2; KGF-2; fibroblast growth factor-12; FGF-12;	
KW	keratinocyte proliferation; growth stimulator; skin strength; mucositis;	
KW	epidermal thickening; wound healing; inflammatory bowel disease; therapy;	
KW	inflammation; hair growth promoter; muten.	
OS	Synthetic.	
OS	Homo sapiens.	
PN	WO9806844-A1.	
PD	19-FEB-1998.	
PF	13-AUG-1997;	97WO-US14112.
PR	28-FEB-1997;	97US-0039045.
PR	13-AUG-1996;	96US-0023852.
PA	(HUMA-) HUMAN GENOME SCI INC.	
PI	Coleman TA, Duan R, Jimenez P, Mendrick D, Moore PA;	
PI	Ni J, Kauppy MA, Ruben SM, Zhang J;	
DR	WPI; 1998-159536/14.	

XX Keratinocyte growth factor-2 deletion mutants - useful to promote
PT or accelerate wound healing

XX Claim 11; Page -: 251pp; English.

CC This sequence is a human keratinocyte growth factor-2 (KGF-2) deletion
CC mutant of the invention, that stimulates proliferation of keratinocytes.
CC The mutants have enhanced keratinocyte growth stimulating activity as
CC compared to wild-type KGF-2 (also known as fibroblast growth factor-12).
CC They are used to stimulate growth or proliferation of keratinocytes. In
CC particular, they are used to prevent or improve the appearance of
CC wrinkles or aged skin, improving skin strength, promoting epidermal
CC thickening, reducing scarring or improving healing after cosmetic
CC surgery. The mutants are also useful for promoting wound healing,
CC especially where an individual is wound healing impaired. Wounds to be
CC treated may be surgical or excisional wounds, deep wounds involving
CC damage of the dermis and epidermis, eye tissue wounds, dental tissue
CC wounds, oral cavity wounds, diabetic, dermal, cubitus, arterial or
CC venous stasis ulcers or burns. Treatment, especially by anastomosis, of
CC wounds caused by colonic or gastrointestinal surgical procedures can also
CC be achieved through use of the KGF-2 deletion mutants. They can also be
CC used for treatment or prevention of mucositis, inflammatory bowel
CC disease, reduction of inflammation, promoting hair growth, urothelial
CC healing or tissue growth or repair in the female genital tract, or for
CC treating tissue exposed to radiation or protecting tissue used to
CC treat a malignancy. This sequence does not appear in the specification,
CC but was created from the wild type KGF-2 sequence shown in AAW52581.

XX Sequence 146 AA:

Query Match 100.0%; Score 765; DB 19; Length 146;
Best Local Similarity 100.0%; Pred. No. 1.3e-77;

Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSTNHLOGDVRRKLFSEFTKYFLKIEKNKVGSGTKKENCPSILETTSVEIGVAVKA 60
DB 4 HVRSTNHLOGDVRRKLFSEFTKYFLKIEKNKVGSGTKKENCPSILETTSVEIGVAVKA 63
QY 61 INSNTYLLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFNWQHGRMYVALNKGGA 120
DB 64 INSNTYLLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFNWQHGRMYVALNKGGA 123
QY 121 PRRGOKTRRKNNTSAHFLPMVVS 143
DB 124 PRRGOKTRRKNNTSAHFLPMVVS 146

XX RESULT 2
XX AAB60204 standard; Protein; 146 AA.

XX AAB60204;

XX 27-MAR-2001 (first entry)

XX Mutant human KGF-2, Ala 63-ser 208 (KGF-2 delta-28).

XX Human; keratinocyte growth factor-2; KGF-2; wound healing; vulnerary;
XX epithelial cell proliferation; epidermal keratinocyte proliferation;
XX soft tissue growth; ischaemic injury; skin disorder;
XX skin graft adherence; deletion mutant; mutain.

XX Homo sapiens.
XX Synthetic.

XX WO200072872-A1.

XX 07-DEC-2000.

XX 02-JUN-2000; 2000WO-US15186.

PR 02-JUN-1999; 99US-0137448.
PR 22-OCT-1999; 99US-0160913.

XX (HUMAN) HUMAN GENOME SCI INC.
PA (GENTZ) GENTZ R L.
PA (CHOP) CHOPRA A.
PA (KAUS) KAUSHAL P.
PA (SPIT) SPITZNAGEL T.
PA (UNSW) UNSWORTH E.
PA (KHAN) KHAN F.

XX Gentz RL, Chopra A, Kaushal P, Spitznagel T, Unsworth E, Khan F;
XX WPI; 2001-041105/05.

XX Pharmaceutical composition useful for stimulating epithelial cell
XX proliferation and basal keratinocytes for wound healing comprises
XX keratinocyte growth factor-2, in liquid or lyophilized forms -

XX Claim 67; Page -: 101pp; English.

XX The invention relates to a pharmaceutical composition comprising
XX 0.02-40 mg/ml (w/v) keratinocyte growth factor-2 (KGF-2) protein; a
XX buffer having buffering capacity of pH 5-8 at 5-50 mM; a diluent to
XX bring the composition to a designated volume; and a preservative such as
XX m-cresol, chlorobutanol, or a mixture of methyl paraben and propyl
XX paraben or their reaction products. The KGF-2 used in the composition of
XX the invention is preferably a novel mutant selected from the KGF-2
XX deletion mutants AAB60202 and AAB60204-860214, and particularly the
XX deletion mutant KGF-2 delta-33 (AAB60202). KGF-2 stimulates the
XX proliferation of epithelial cells and epidermal keratinocytes but not
XX mesenchymal cells such as fibroblasts. The compositions of the invention
XX may therefore be used for promoting or accelerating soft tissue growth or
XX wound healing, or for treating mucocytis or inflammatory bowel disease.
XX The compositions may be used to promote the healing of both superficial
XX and deep wounds, including those which involve damage of the dermis, and
XX is effective both in individuals with normal wound healing capacity, and
XX in those in whom healing is impaired (e.g., those with conditions such as
XX diabetes, infection, immunosuppression, malnutrition, and ischaemic
XX blockage or injury). The compositions may also be used to stimulate the
XX healing of eye tissue wounds, dental tissue wounds, oral cavity wounds,
XX vascular and dermal ulcers, burns, wounds associated with ischaemic
XX injury, and skin disorders such as psoriasis and epidermolysis bullosa.
XX The KGF-2 compositions may additionally be used to increase the adherence
XX of skin grafts to a wound bed, to stimulate re-epithelialisation from the
XX wound bed, and to reduce the side effects of gut toxicity that result
XX from radiation, chemotherapy treatments or viral infections. The
XX compositions of the invention are stable over prolonged periods of
XX storage, have increased KGF-2 pharmacological activity and/or facilitate
XX the application or administration of KGF-2 in therapeutic regimens. The
XX present sequence represents a specifically claimed human KGF-2 deletion
XX mutant.

XX Sequence 146 AA;

Query Match 100.0%; Score 765; DB 22; Length 146;
Best Local Similarity 100.0%; Pred. No. 1.3e-77;

Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSTNHLOGDVRRKLFSEFTKYFLKIEKNKVGSGTKKENCPSILETTSVEIGVAVKA 60
DB 4 HVRSTNHLOGDVRRKLFSEFTKYFLKIEKNKVGSGTKKENCPSILETTSVEIGVAVKA 63
QY 61 INSNTYLLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFNWQHGRMYVALNKGGA 120
DB 64 INSNTYLLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFNWQHGRMYVALNKGGA 123
QY 121 PRRGOKTRRKNNTSAHFLPMVVS 143
DB 124 PRRGOKTRRKNNTSAHFLPMVVS 146

XX RESULT 3

AAV32899
ID AAV32899 standard; Protein; 147 AA.
AC AAV32899;
XX
XX 03-NOV-1999 (first entry)
DT
XX
DE E. coli optimised human KGF-2 deletion mutant protein sequence.
XX
XX Keratinocyte growth factor; KGF-2; human; platelet; fibrinogen; albumin;
KM globulin; total serum protein; blood; hypofibrinogenemia; cirrhosis;
KM disseminated intravascular coagulation; thrombocytopenia; myelofibrosis;
KM hypobulbinaemia; posttransfusion purpura; metastatic tumour; anaemia;
KM leukaemia; haemolytic syndrome; Zieve's syndrome; rheumatic disease;
KM HELLP pre-eclampsia syndrome; congenital rubella syndrome; systemic lupus;
KM Epstein-Barr infectious mononucleosis; thyrotoxicosis; uraemia; therapy;
KM infection; tissue necrosis; vasculitis; ulcerative bowel disease;
KM serositis; subacute bacterial endocarditis; liver disease; amyloidosis;
KM congestive heart failure; constrictive pericarditis; nephrotic syndrome;
KM cardiac valvular disease; hypoglobulinaemia; keratoconjunctivitis sicca;
mucin.

OS Synthetic.
OS Homo sapiens.
OS Escherichia coli.
XX
XX MO9941282-A1.
PN
XX
XX 19-AUG-1999.
PD
XX
XX 12-FEB-1999; 99WO-US03018.
PF
XX
XX 30-DEC-1998; 98US-0114387.
PR
XX 13-FEB-1998; 98US-0074585.
PR
XX (HUMA-) HUMAN GENOME SCI INC.
PA
XX Jimenez P, Louie A, Mendrick D, Rampy MA, Russell D;
PI
XX WPI; 1999-527359/44.
DR
XX N-PSDB; AA211130.
XX
XX Use of keratinocyte growth factor-2 to increase levels of platelets,
PT fibrinogen, albumin, globulin and total serum protein
XX
XX Example 11; Fig 13; 331pp; English.

CC This sequence represents a deletion mutant of E. coli optimised human
XX keratinocyte growth factor-2 (KGF-2). KGF-2 fragments and mutants are
XX used in the methods of the invention, for increasing the level of
XX platelets, fibrinogen, albumin, globulin, and total serum protein in the
XX blood. KGF-2 can also be used to stimulate proliferation of salivary
XX gland cells, lacrimal gland cells, sinus epithelium, and Goblet cells.
XX The methods can also be used to treat hypofibrinogenemia caused by a
XX cirrhosis, and disseminated intravascular coagulation (DIC). The methods
XX can be used to treat thrombocytopenia and to alleviate hypobulbinaemia.
XX These diseases are caused by: drug induced hypersensitivity,
XX thrombocytopenia purpura, posttransfusion purpura, metastatic tumours in
XX the bone, aplastic anaemia, myelofibrosis, leukaemia, haemolytic
XX syndromes, cancer chemotherapy, Zieve's syndrome, sepsis, HELLP
XX pre-eclampsia, megaloblastic anaemia peritonitis, congenital
XX rubella syndrome, Epstein-Barr infectious mononucleosis, systemic lupus,
XX pre-eclampsia, thyrotoxicosis, uraemia, rheumatic diseases, granulomatous
XX processes, bacterial viral and parasitic infections, tissue necrosis,
XX vasculitis, ulcerative bowel disease, serositis, subacute bacterial
XX endocarditis, liver disease, amyloidosis, malnutrition, malignancy,
XX congestive heart failure, constrictive pericarditis, cardiac valvular
XX disease, nephrotic syndrome, trauma and crush injuries, gastrointestinal
XX and lymphatic fistulae, and protein-losing gastroenteropathies. The
XX methods can also be used to treat hypoglobulinaemia, total protein loss,
XX damage to the sinus epithelium, and can be used to increase proliferation
XX of epithelial cells of the bladder or prostate, stimulate proliferation
XX of the salivary gland cells and to increase Goblet cell proliferation for

CC treating or preventing keratoconjunctivitis sicca.
XX
XX Sequence 147 AA;
SQ
Query Match 100.0%; Score 765; DB 20; Length 147;
Best Local Similarity 100.0%; Pred. No. 1,4e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNHLOGDVRMRKLTSPFYKIKRNGKVGSTCKKENCPSYLETTSVEIGVAVKA 60
DB 5 HVRSYNHLOGDVRMRKLTSPFYKIKRNGKVGSTCKKENCPSYLETTSVEIGVAVKA 64
QY 61 INSNTYLLAMNKKGLYSGKEFNDDCKLERIEENGYNTYASFNNQHRQMYVALNGKA 120
DB 65 INSNTYLLAMNKKGLYSGKEFNDDCKLERIEENGYNTYASFNNQHRQMYVALNGKA 124
QY 121 PRGCKTRKNTSAHFLPMVYHS 143
DB 125 PRGCKTRKNTSAHFLPMVYHS 147

RESULT 4

AA10314
ID AAB10314 standard; Protein; 147 AA.

AA10314;
XX

20-NOV-2000 (first entry)
DT

Human KGF-2 deletion mutant DNA SEQ ID NO: 68.
XX

Human; keratinocyte growth factor; KGF-2; antidiabetic;
KM antinflammatory; cytoprotective; dermatological; gastrointestinal;
KM hepatic; respiratory; renal; cerebroprotective; mucositis; treatment;
KM epithelial cell proliferation; inflammatory bowel disease; lung damage;
KM liver disorder; diabetes; oral injury; gastrointestinal injury;
KM gut toxicity; gastric; duodenal; epidermolysis bullosa; skin graft;
KM skin disorder; renal failure; brain injury; intestinal fibrosis;
KM proctitis; female reproductive tract disorder; pulmonary fibrosis;
KM pneumonitis; pleural retraction; hemopoietic syndrome; myelotoxicity;
KM deletion mutant.

OS Homo sapiens.
XX

US6077692-A.
XX

20-JUN-2000.
PD

13-FEB-1998; 98US-0023082.
PF

13-AUG-1996; 96US-0023852.
PR
28-FEB-1997; 97US-0039045.
PR
13-AUG-1997; 97US-0055561.
PR
05-JUN-1995; 95US-0461195.
PR
14-FEB-1995; 95WO-US01790.
PR
23-MAY-1997; 97US-0862432.
PR
13-AUG-1997; 97US-0910875.
PR

(HUMA-) HUMAN GENOME SCI INC.
PA

Mendrick D, Duan DR, Ni J, Jimenez P, Coleman TA, Gruber JR;
PI
Dillon PJ, Gentz RL, Ruben SM, Zhang J, Moore PA, Rampy MA;
DR
WPI; 2000-441307/38.
N-PSDB; AAA71248.
XX

Novel keratinocyte growth factor useful for promoting and accelerating
PT wound healing, comprising at least 10 contiguous amino acids from a
PT specific amino acid sequence -
XX

Example 13; Fig 26; 190pp; English.
XX

This invention describes a novel human keratinocyte growth factor, KGF-2

CC (I), which has antiulcer, antidiabetic, antiinflammatory, cytoprotective,
 CC dermatological, gastrointestinal, hepatic, respiratory, renal and
 CC cerebroprotective activity. (I) is useful for stimulating epithelial cell
 CC proliferation in patients suffering from wound, mucositis, ulcer such as
 CC venous stasis ulcer, diabetic ulcer and cubitus ulcer. (I) is also useful
 CC for treating inflammatory bowel disease, liver disorder, lung damage,
 CC diabetes, oral injury, gastrointestinal injury, gut toxicity, gastric
 CC ulcer, duodenal ulcer, epidermolysis bullosa, skin graft, skin disorder,
 CC renal failure, brain injury, breast tissue injury, urothelial damage,
 CC female reproductive tract disorder, intestinal fibrosis, proctitis,
 CC pulmonary fibrosis, pneumonitis, pleural retraction, hemopoietic syndrome
 CC and myelotoxicity. (I) is also useful for increasing the adherence of
 CC skin grafts to wound beds and to stimulate re-epithelialization from the
 CC wound bed, to produce changes in hepatocyte proliferation, to reduce the
 CC side effects of gut toxicity, to regenerate skin in full and partial
 CC thickness skin defects, and to prevent and heal damage to lungs. KGF-2
 CC slows enhanced activity, increased stability, higher yield and better
 CC solubility. This sequence represents a human KGF-2 protein deletion
 CC mutant described in the method of the invention.

XX Sequence 147 AA:

Query Match 100.0%; Score 765; DB 21; Length 147;
 Best Local Similarity 100.0%; Pred. No. 1.4e-77;
 Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 HVRSYNHLOGDVWRKLFSTFKYELKIEKNKVGSGTKKENCPSILITTSVEIGVAVKA 60
 DB 5 HVRSYNHLOGDVWRKLFSTFKYELKIEKNKVGSGTKKENCPSILITTSVEIGVAVKA 64
 OY 61 INSNYILAMNKKKGLYSGKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKA 120
 DB 65 INSNYILAMNKKKGLYSGKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKA 124

OY 121 PRGQKTRRKNTSAHFLPMVVS 143
 DB 125 PRGQKTRRKNTSAHFLPMVVS 147

RESULT 5

AAB61678
 ID AAB61678 standard; Protein: 147 AA.

AC AAB61678;

DT 10-APR-2001 (first entry)

DE KGF-2 deletion construct #2.

KW keratinocyte growth factor; KGF-2; epithelial cell proliferation; wound;
 KM mucositis; ulcer; inflammatory bowel disease; liver disorder;
 KW lung damage; diabetes; oral injury; gastrointestinal injury;
 KW epidermolysis bullosa; renal failure; brain injury; proctitis;
 KW pulmonary fibrosis; haemopoietic syndrome; ovary injury; infertility;
 XX liver fibrosis.

XX Unidentified.

XX WO200102433-A1.

PD 11-JAN-2001.

PF 03-JUL-2000; 2000WO-US18328.

XX 02-JUL-1999; 99US-0142343.

PR 14-JUL-1999; 99US-0143648.

PR 15-JUL-1999; 99US-0144024.

PR 12-AUG-1999; 99US-0148628.

PR 19-AUG-1999; 99US-0149935.

PR 03-NOV-1999; 99US-0163375.

PR 22-DEC-1999; 99US-0171677.

PR 19-APR-2000; 2000US-0198322.

PR 19-MAY-2000; 2000US-0203417.

PR 30-JUN-2000; 2000US-9911224.

PA (HUMA-) HUMAN GENOME SCI INC.

XX Ruben SM, Jimenez P, Duan DR, Rampy MA, Mendrick D, Zhang J;

PI Ni J, Moore PA, Coleman TA, Gruber JR, Dillon PJ, Gentz RL;

PI WPI: 2001-071578/08.

DR N-PSDB; AAF31946.

XX A polynucleotide encoding the human keratinocyte growth factor useful
 PT for stimulating epithelial cell proliferation in a patients that has
 PT e.g a wound -

XX Example 13; Fig 26; 591pp; English.

XX The present invention relates to human keratinocyte growth factor (KGF-2;
 CC see AAF31901 and AAB61657). The present sequence is a KGF-2 construct
 CC protein, which was generated in the present invention. KGF-2 can be used
 CC to stimulate epithelial cell proliferation in a patient, where the
 CC patient has a wound, mucositis, an ulcer, inflammatory bowel disease,
 CC liver disorder, lung damage, diabetes, oral injury, gastrointestinal
 CC injury, gut toxicity, epidermolysis bullosa, skin graft, skin disorder,
 CC renal failure, brain injury, breast tissue injury, urothelial damage,
 CC female reproductive tract disorder, intestinal fibrosis, proctitis,
 CC pulmonary fibrosis, pneumonitis, pleural retraction, haemopoietic
 CC syndrome and myelotoxicity. In addition, KGF-2 can be used in the
 CC treatment or prevention of ovary injury, infertility, or fibrosis of the
 CC liver. KGF-2 also promotes internal healing, donor site healing, internal
 CC cosmetic surgery in a patient.

XX Sequence 147 AA:

Query Match 100.0%; Score 765; DB 22; Length 147;
 Best Local Similarity 100.0%; Pred. No. 1.4e-77;
 Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 HVRSYNHLOGDVWRKLFSTFKYELKIEKNKVGSGTKKENCPSILITTSVEIGVAVKA 60
 DB 5 HVRSYNHLOGDVWRKLFSTFKYELKIEKNKVGSGTKKENCPSILITTSVEIGVAVKA 64

OY 61 INSNYILAMNKKKGLYSGKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKA 120
 DB 65 INSNYILAMNKKKGLYSGKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKA 124

OY 121 PRGQKTRRKNTSAHFLPMVVS 143
 DB 125 PRGQKTRRKNTSAHFLPMVVS 147

RESULT 6

AAW57312
 ID AAW57312 standard; Protein: 152 AA.

AC AAW57312;

DT 02-SEP-1998 (first entry)

DE Human KGF-2 protein dn20 hGF10 sequence.

KW keratinocyte growth factor-2; KGF-2; variant; human; recombinant;
 KW epithelial cell stimulation; burn; ulcer; inflammatory bowel disease;
 KW lung damage; liver damage; pancreatic disorder; diabetes.

XX Homo sapiens.

XX WO9816642-A1.

XX 23-APR-1998.

PF 15-OCT-1997; 97WO-US18607.

XX 27-MAR-2001 (first entry)
 DE Human KGF-2 deletion mutant, Pro 47-Ser 208 KGF-2.
 XX
 KW Human: keratinocyte growth factor-2; KGF-2; wound healing; vulnary;
 KM epithelial cell proliferation; epidermal keratinocyte proliferation;
 KW soft tissue growth; ischemic injury; skin disorder;
 KW skin graft adherence; deletion mutant; mulein.
 OS Homo sapiens.
 XX Synthetic.
 XX WO200072872-A1.
 XX
 XX 07-DEC-2000.
 XX
 XX 02-JUN-2000; 2000MO-US15186.
 XX
 XX 02-JUN-1999; 99US-0137448.
 XX 22-OCT-1999; 99US-0160913.
 XX
 PA (HUMA-) HUMAN GENOME SCI INC.
 PA (GENT/) GENTZ R L.
 PA (CHOP/) CHOPRA A.
 PA (KAUS/) KAUSHAL P.
 PA (SPIT/) SPITZNAGEL T.
 PA (UNSW/) UNSWORTH E.
 PA (KHAN/) KHAN F.
 XX
 XX Gentz RL, Chopra A, Kaushal P, Spitznagel T, Unsworth E, Khan F;
 PI WPI; 2001-041105/05.
 DR
 XX
 XX Pharmaceutical composition useful for stimulating epithelial cell
 PT proliferation and basal keratinocytes for wound healing comprises
 PT keratinocyte growth factor-2, in liquid or lyophilized forms -
 XX
 PS Claim 69; Page -; 101pp; English.

The invention relates to a pharmaceutical composition comprising
 0.02-40 mg/ml (w/v) keratinocyte growth factor-2 (KGF-2) protein; a
 buffer having buffering capacity of pH 5-8 at 5-50 mM; a diluent to
 bring the composition to a designated volume; and a preservative such as
 m-cresol, chlorobutanol, or a mixture of methyl paraben and propyl
 paraben or their reaction products. The KGF-2 used in the composition of
 the invention is preferably a novel mutant selected from the KGF-2
 deletion mutants AAB60202 and AAB60204-B60214, and particularly the
 deletion mutant KGF-2 delta-33 (AAB60202). KGF-2 stimulates the
 proliferation of epithelial cells and epidermal keratinocytes but not
 mesenchymal cells such as fibroblasts. The compositions of the invention
 may therefore be used for promoting or accelerating soft tissue growth or
 wound healing, or for treating mucocysts or inflammatory bowel disease.
 The compositions may be used to promote the healing of both superficial
 and deep wounds, including those which involve damage of the dermis, and
 is effective both in individuals with normal wound healing capacity, and
 in those in whom healing is impaired (e.g., those with conditions such as
 diabetes, infection, immunosuppression, malnutrition, and ischemic
 blockage or injury). The compositions may also be used to stimulate the
 healing of eye tissue wounds, dental tissue wounds, oral cavity wounds,
 vascular and dermal ulcers, burns, wounds associated with ischemic
 injury, and skin disorders such as psoriasis and epidermolysis bullosa.
 The KGF-2 compositions may additionally be used to increase the adherence
 of skin grafts to a wound bed, to stimulate re-epithelialisation from the
 wound bed, and to reduce the side effects of gut toxicity that result
 from radiation, chemotherapy treatments or viral infections. The
 compositions of the invention are stable over prolonged periods of
 storage, have increased KGF-2 pharmacological activity and/or facilitate
 the application or administration of KGF-2 in therapeutic regimens. The
 present sequence represents a specifically claimed human KGF-2 deletion
 mutant.

Sequence 162 AA;

Query Match 100.0%; Score 765; DB 22; Length 162;
 Best Local Similarity 100.0%; Pred. No. 1,5e-77;
 Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 OY 1 HVRSYNHLOGDVWRMRKLSFTKRYFLKIEKNKSVSGTKKENCPSYILETTSYIGVAVKA 60
 DB 20 HVRSYNHLOGDVWRMRKLSFTKRYFLKIEKNKSVSGTKKENCPSYILETTSYIGVAVKA 79
 OY 61 INSNTYLLAMNKKKGLYSGKEFNCKLKERLEENGNTYASFNMOHNGROMYVALNKGKA 120
 DB 80 INSNTYLLAMNKKKGLYSGKEFNCKLKERLEENGNTYASFNMOHNGROMYVALNKGKA 139
 OY 121 PRGQKTRRKNTSAHFLEPMVHS 143
 DB 140 PRGQKTRRKNTSAHFLEPMVHS 162
 RESULT 9
 ID AAM59054 standard; Protein; 170 AA.
 XX
 AC AAM59054;
 XX
 DT 26-AUG-1998 (first entry)
 XX
 DE Human hFGF10 protein.
 XX
 KW Keratinocyte growth factor-2; KGF-2; epithelial cell production;
 KW hepatitic cirrhosis; fulminant liver failure; gastric ulcer; diabetes;
 KW duodenal ulcer; gut toxicity; inflammatory bowel disease; oesophagitis;
 KW erosive gastritis; oesophageal reflux; gastrointestinal toxicity; human;
 KW pancreatitis; cystic fibrosis; corneal degeneration; gum disease;
 KW urinary bladder damage; ear drum damage; salivary gland damage;
 KW autoimmune disease; Sjogren's Syndrome; sicca syndrome; hFGF10;
 KW fibroblast growth factor.
 XX
 OS Homo sapiens.
 XX
 PN WO9816243-A1.
 XX
 PD 23-APR-1998.
 XX
 PF 15-OCT-1997; 97WO-US18667.
 XX
 PR 10-DEC-1996; 96US-0033457.
 PR 15-OCT-1996; 96US-0028495.
 PR 06-DEC-1996; 96US-0032253.
 XX
 PA (AMGE-) AMGEN INC.
 XX
 PI Danilenko DM, Farrell CL, Lacey DL, Ulrich TR;
 DR WPI; 1998-251052/22.
 DR N-PSDB; AAV11787.
 XX
 PT Stimulating production of epithelial cell(s), e.g. cells in oral
 PT cavity - comprises administering keratinocyte growth factor-2
 PT protein, useful for, e.g. treating fulminant liver failure or
 PT hepatic cirrhosis
 PS
 PS Example 1; Fig 3-3A; 97pp; English.
 XX
 XX This represents a human fibroblast growth factor hFGF10. The
 CC invention provides a method to stimulate the production of epithelial
 CC cells selected from cells within the eye, ear, gums, pancreas, urinary
 CC bladder, liver and gastrointestinal tract, especially cells in the oral
 CC cavity, glandular stomach and small intestine, colon and other cells
 CC within the intestinal mucosa. The method comprises contacting the cells
 CC with a keratinocyte growth factor-2 (KGF-2) protein. The KGF-2 proteins
 CC can be used to increase cytoprotection, proliferation or differentiation
 CC of epithelial cells. They can be used to treat and prevent hepatic
 CC cirrhosis, fulminant liver failure, damage caused by acute viral

CC hepatitis, toxic insults to the liver and bile duct disorders. They can
CC also be used to treat and prevent gastric ulcers, duodenal ulcers,
CC inflammatory bowel disease, gut toxicity and erosions of the
CC gastrointestinal tract, erosive gastritis, oesophagitis, oesophageal
CC reflux, radiation or chemotherapy induced gastrointestinal toxicity,
CC disorders of the pancreas, e.g. diabetes, pancreatitis or cystic
CC fibrosis, corneal degeneration, gum disease, urinary bladder damage,
CC cardiac damage, salivary gland damage and autoimmune diseases such as
CC Sjogren's Syndrome which can cause salivary gland insufficiency (sicca
CC syndrome).
XX
SQ Sequence 170 AA:
Query Match 100.0%; Score 765; DB 19; Length 170;
Best Local Similarity 100.0%; Pred. No. 1.6e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 HVRSYNHLGGVWRKLFSTKYFLKIEKNGKVSCTKKEPCYSILETTSVEIGVAVKA 60
28 HVRSYNHLGGVWRKLFSTKYFLKIEKNGKVSCTKKEPCYSILETTSVEIGVAVKA 87
DB 61 INSRYLLAMNKKGLYSGKEFNNDCKLERIEENGYNTYASFWMOHNGROMYVALNKGKA 120
88 INSRYLLAMNKKGLYSGKEFNNDCKLERIEENGYNTYASFWMOHNGROMYVALNKGKA 147
QY 121 PRGQKTRRKNTSAHFLPMVYHS 143
148 PRGQKTRRKNTSAHFLPMVYHS 170
DB
RESULT 10
AAM52582
ID AAM52582 standard; Protein; 170 AA.
XX
AC AAM52582;
XX
DT 15-JUL-1998 (first entry)
XX
DE KGF-2 deletion mutant A39-S208.
XX
KW Keratinocyte growth factor-2; KGF-2; fibroblast growth factor-12; FGF-12;
KW keratinocyte proliferation; growth stimulator; skin strength; mucositis;
KW epidermal thickening; wound healing; inflammatory bowel disease; therapy;
KW inflammation; hair growth promoter; mutein.
XX
OS Synthetic.
OS Homo sapiens.
XX
WO9806844-A1.
XX
19-FEB-1998.
XX
13-AUG-1997; 97WO-US14112.
XX
28-FEB-1997; 97US-0039045.
XX
13-AUG-1996; 96US-0023852.
XX
PA (HUMA-) HUMAN GENOME SCI INC.
XX
PI Coleman TA, Duan R, Jimenez P, Mendrick D, Moore PA;
PI Ni J, Rampy MA, Ruben SM, Zhang J;
XX
DR WPI; 1998-159536/14.
XX
PT Keratinocyte growth factor-2 deletion mutants - useful to promote
XX or accelerate wound healing
XX
PS Claim 11; Page -: 251pp; English.
XX
CC This sequence is a human keratinocyte growth factor-2 (KGF-2) deletion
CC mutant of the invention, that stimulates proliferation of keratinocytes.
CC The mutants have enhanced keratinocyte growth stimulating activity as
CC compared to wild-type KGF-2 (also known as fibroblast growth factor-12).

CC They are used to stimulate growth or proliferation of keratinocytes. In
CC particular, they are used to prevent or improve the appearance of
CC wrinkles or aged skin, improving skin strength, promoting epidermal
CC thickening, reducing scarring or improving healing after cosmetic
CC surgery. The mutants are also useful for promoting wound healing,
CC especially where an individual is wound healing impaired. Wounds to be
CC treated may be surgical or excisional wounds, deep wounds involving
CC damage of the dermis and epidermis, eye tissue wounds, dental tissue
CC wounds, oral cavity wounds, diabetic, dermal, cubitus, arterial or
CC venous stasis ulcers or burns. Treatment, especially by anastomosis, of
CC wounds caused by colonic or gastrointestinal surgical procedures can also
CC be achieved through use of the KGF-2 deletion mutants. They can also be
CC used for treatment or prevention of mucositis, inflammatory bowel
CC disease, reduction of inflammation, promoting hair growth, urothelial
CC healing or tissue growth or repair in the female genital tract, or for
CC treating tissue exposed to radiation or protecting tissue to be exposed
CC to radiation (e.g. to allow an increase in radiation dosage used to
CC treat a malignancy). This sequence does not appear in the specification,
CC but was created from the wild type KGF-2 sequence shown in AAM52581.
XX
SQ Sequence 170 AA:
Query Match 100.0%; Score 765; DB 19; Length 170;
Best Local Similarity 100.0%; Pred. No. 1.6e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 HVRSYNHLGGVWRKLFSTKYFLKIEKNGKVSCTKKEPCYSILETTSVEIGVAVKA 60
28 HVRSYNHLGGVWRKLFSTKYFLKIEKNGKVSCTKKEPCYSILETTSVEIGVAVKA 87
DB 61 INSRYLLAMNKKGLYSGKEFNNDCKLERIEENGYNTYASFWMOHNGROMYVALNKGKA 120
88 INSRYLLAMNKKGLYSGKEFNNDCKLERIEENGYNTYASFWMOHNGROMYVALNKGKA 147
QY 121 PRGQKTRRKNTSAHFLPMVYHS 143
148 PRGQKTRRKNTSAHFLPMVYHS 170
DB
RESULT 11
AAB60206
ID AAB60206 standard; Protein; 170 AA.
XX
AC AAB60206;
XX
DT 27-MAR-2001 (first entry)
XX
DE Human KGF-2 deletion mutant, Ala 39-Ser 208 KGF-2.
XX
KW Human; keratinocyte growth factor-2; KGF-2; wound healing; vulnery;
KW epithelial cell proliferation; epidermal keratinocyte proliferation;
KW skin tissue growth; ischaemic injury; skin disorder;
KW skin graft adherence; deletion mutant; mutein.
XX
OS Homo sapiens.
OS Synthetic.
XX
WO200072872-A1.
XX
PD 07-DEC-2000.
XX
XX 02-JUN-2000; 2000WO-US15186.
XX
PF 02-JUN-1999; 99US-0137448.
XX
PR 22-OCT-1999; 99US-0160913.
XX
PA (HUMA-) HUMAN GENOME SCI INC.
XX
PA (GENT/) GENTZ R L.
XX
PA (CHOP/) CHOPRA A.
XX
PA (KAUS/) KAUSHAL P.
XX
PA (SPIT/) SPITZNAGEL T.
XX
PA (UNSW/) UNSWORTH E.
XX
PA (KHAN/) KHAN F.

KW Keratinocyte growth factor-2; KGF-2; fibroblast growth factor-12; FGF-12,

RESULT 13

CC (1), which has antiulcer, antidiabetic, antiinflammatory, cytoprotective,
 CC dermatological, gastrointestinal, hepatic, respiratory, renal and
 CC cerebroprotective activity. (1) is useful for stimulating epithelial cell
 CC proliferation in patients suffering from wound, mucositis, ulcer such as
 CC venous stasis ulcer, diabetic ulcer and cutibut ulcer. (1) is also useful
 CC for treating inflammatory bowel disease, liver disorder, lung damage,
 CC diabetes, oral injury, gastrointestinal injury, gut toxicity, gastric
 CC ulcer, duodenal ulcer, gastroduodenal ulcer, skin graft, skin disorder,
 CC renal failure, brain injury, breast tissue injury, urothelial damage,
 CC female reproductive tract disorder, intestinal fibrosis, proctitis,
 CC pulmonary fibrosis, pneumonitis, pleural retraction, hemopoietic syndrome
 CC and myelotoxicity. (1) is also useful for increasing the adherence of
 CC skin grafts to wound beds and to stimulate re-epithelialization from the
 CC wound bed, to produce changes in hepatocyte proliferation, to reduce the
 CC side effects of gut toxicity, to regenerate skin in full and partial
 CC thickness skin defects, and to prevent and heal damage to lungs. KGF-2
 CC shows enhanced activity, increased stability, higher yield and better
 CC solubility. This sequence represents the human KGF-2 mutant protein
 CC KGF2delta described in the method of the invention.

Sequence 171 AA:

Query Match 100.0%; Score 765; DB 21; Length 171;
 Best Local Similarity 100.0%; Pred. No. 1.7e-77;
 Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNHLQGVRRKRLFTFTKFLKLNKGVSGTKKNCPSILETTSVEIGVAVKA 60
 DB 29 HVRSYNHLQGVRRKRLFTFTKFLKLNKGVSGTKKNCPSILETTSVEIGVAVKA 88
 QY 61 INSNTYLLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMOHNGROMYVALNGKGA 120
 DB 89 INSNTYLLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMOHNGROMYVALNGKGA 148
 QY 121 PRGQKTRRKNTSAHFLPMVYHS 143
 DB 149 PRGQKTRRKNTSAHFLPMVYHS 171

RESULT 15

AAB61688
 ID AAB61688 standard; Protein; 171 AA.

AC AAB61688;
 DT 10-APR-2001 (first entry)
 XX
 DE KGF-2 mutant #5.

XX Keratinocyte growth factor; KGF-2; epithelial cell proliferation; wound;
 XX mucositis; ulcer; inflammatory bowel disease; liver disorder;
 KW lung damage; diabetes; oral injury; gastrointestinal injury;
 KW epidermolysis bullosa; renal failure; brain injury; proctitis;
 KW pulmonary fibrosis; hemopoietic syndrome; ovary injury; infertility;
 XX liver fibrosis.

XX Unidentified.

PN WO200102433-A1.

PD 11-JAN-2001.

PF 03-JUL-2000; 2000WO-US18328.

XX 02-JUL-1999; 9905-0142343.
 PR 14-JUL-1999; 9905-0143648.
 PR 15-JUL-1999; 9905-0144024.
 PR 12-AUG-1999; 9905-0148628.
 PR 19-AUG-1999; 9905-0149335.
 PR 03-NOV-1999; 9905-0163375.
 PR 22-DEC-1999; 9905-0171677.
 PR 19-APR-2000; 2000US-0198322.
 PR 19-MAY-2000; 2000US-0205417.

PR 30-JUN-2000; 2000US-9911224.
 XX
 XX (HUMA-) HUMAN GENOME SCI INC.
 PA Ruben SM, Jimenez P, Duan DR, Rampy MA, Mendrick D, Zhang J;
 PI Ni J, Moore PA, Coleman TA, Gruber JR, Dillon PJ, Gentz RL;
 DR WPI: 2001-071578/08.
 XX N-PSDB: AAF31984.

PT A polynucleotide encoding the human keratinocyte growth factor useful
 for stimulating epithelial cell proliferation in a patients that has
 e.g a wound.

Example 16; Page 340; 591pp; English.

CC The present invention relates to human keratinocyte growth factor (KGF-2;
 CC see AAF31901 and AAB61657). The present sequence is a KGF-2 construct
 CC protein, which was generated in the present invention. KGF-2 can be used
 CC to stimulate epithelial cell proliferation in a patient, where the
 CC patient has a wound, mucositis, an ulcer, inflammatory bowel disease,
 CC liver disorder, lung damage, diabetes, oral injury, gastrointestinal
 CC injury, gut toxicity, epidermolysis bullosa, skin graft, skin disorder,
 CC renal failure, brain injury, breast tissue injury, urothelial damage,
 CC female reproductive tract disorder, intestinal fibrosis, proctitis,
 CC pulmonary fibrosis, pneumonitis, pleural retraction, hemopoietic
 CC syndrome and myelotoxicity. In addition, KGF-2 can be used in the
 CC treatment or prevention of ovary injury, infertility, or fibrosis of the
 CC liver. KGF-2 also promotes internal healing, donor site healing, internal
 CC surgical wound healing or healing of incisional wounds made during
 CC cosmetic surgery in a patient.

Sequence 171 AA:

Query Match 100.0%; Score 765; DB 22; Length 171;
 Best Local Similarity 100.0%; Pred. No. 1.7e-77;
 Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNHLQGVRRKRLFTFTKFLKLNKGVSGTKKNCPSILETTSVEIGVAVKA 60
 DB 29 HVRSYNHLQGVRRKRLFTFTKFLKLNKGVSGTKKNCPSILETTSVEIGVAVKA 88
 QY 61 INSNTYLLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMOHNGROMYVALNGKGA 120
 DB 89 INSNTYLLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMOHNGROMYVALNGKGA 148
 QY 121 PRGQKTRRKNTSAHFLPMVYHS 143
 DB 149 PRGQKTRRKNTSAHFLPMVYHS 171

Search completed: November 18, 2002, 16:06:27
 Job time : 37 secs

GenCore version 5.1.3
Copyright (c) 1993 - 2002 Compugen Ltd.

OM protein - protein search, using sw model

Run on: November 18, 2002, 16:05:27 ; Search time 14 Seconds

(without alignments)
300,534 Million cell updates/sec

Title: US-09-284-100A-2_COPY_66_208

Perfect score: 765
Sequence: 1 HVRSYNHLQGVRRKLFSE.....GQKTRRKNLSAHFLPMVHS 143

Scoring table:

BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 262574 seqs, 29422922 residues

al number of hits satisfying chosen parameters: 262574

Minimum DB seq length: 0
Maximum DB seq length: 200000000

Post-processing: Minimum Match 0%

Maximum Match 100%
Listing first 45 summaries

Database :

Issued Patents_AA:*
1: /cgn2_6/ptodata/1/iaa/5A.COMB.pep:*
2: /cgn2_6/ptodata/1/iaa/5B.COMB.pep:*
3: /cgn2_6/ptodata/1/iaa/5A.COMB.pep:*
4: /cgn2_6/ptodata/1/iaa/5B.COMB.pep:*
5: /cgn2_6/ptodata/1/iaa/PCTUS.COMB.pep:*
6: /cgn2_6/ptodata/1/iaa/backfillseq1.pep:*

Pred. No. is the number of results predicted to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	765	100.0	147	3	US-09-023-082A-68 Sequence 68, Appl
2	765	100.0	171	3	US-09-023-082A-116 Sequence 116, Appl
3	765	100.0	174	3	US-09-023-082A-43 Sequence 43, Appl
4	765	100.0	174	3	US-09-023-082A-55 Sequence 55, Appl
5	765	100.0	174	3	US-09-023-082A-66 Sequence 66, Appl
6	765	100.0	184	3	US-09-023-082A-30 Sequence 30, Appl
7	765	100.0	208	1	US-08-462-169B-20 Sequence 20, Appl
8	765	100.0	208	2	US-08-951-822-30 Sequence 30, Appl
9	765	100.0	208	3	US-09-023-082A-2 Sequence 2, Appl
10	765	100.0	208	3	US-09-023-082A-20 Sequence 20, Appl
11	765	100.0	208	3	US-09-023-082A-24 Sequence 24, Appl
12	765	100.0	208	3	US-09-023-082A-39 Sequence 39, Appl
13	765	100.0	208	4	US-09-218-444-2 Sequence 2, Appl
14	765	100.0	208	4	US-09-368-951-30 Sequence 30, Appl
15	765	100.0	208	4	US-09-023-082A-96 Sequence 96, Appl
16	748	97.8	141	4	US-09-218-444-17 Sequence 17, Appl
17	748	97.8	141	4	US-09-023-082A-112 Sequence 112, Appl
18	748	97.8	141	4	US-09-218-444-33 Sequence 33, Appl
19	748	97.8	141	4	US-09-023-082A-124 Sequence 124, Appl
20	744	97.3	141	3	US-09-023-082A-128 Sequence 128, Appl
21	744	97.3	141	3	US-09-023-082A-132 Sequence 132, Appl
22	744	97.3	141	3	US-09-023-082A-140 Sequence 140, Appl
23	744	97.3	141	3	US-09-023-082A-146 Sequence 146, Appl
24	743	97.1	141	3	US-09-023-082A-120 Sequence 120, Appl
25	739	96.6	140	3	US-09-023-082A-136 Sequence 136, Appl
26	702	91.8	133	3	US-09-023-082A-70 Sequence 70, Appl

ALIGNMENTS

28	617	80.7	117	3	US-09-023-082A-72	Sequence 72, Appl
29	560	73.2	106	3	US-09-023-082A-74	Sequence 74, Appl
30	465	60.8	87	3	US-09-023-082A-76	Sequence 76, Appl
31	465	60.8	92	3	US-09-023-082A-82	Sequence 82, Appl
32	465	60.8	119	3	US-09-023-082A-80	Sequence 80, Appl
33	427.5	55.9	194	1	US-08-439-725A-15	Sequence 15, Appl
34	427.5	55.9	194	1	US-08-464-590A-12	Sequence 12, Appl
35	427.5	55.9	194	1	US-08-462-169B-15	Sequence 15, Appl
36	427.5	55.9	194	1	US-08-468-546-1	Sequence 1, Appl
37	427.5	55.9	194	2	US-08-207-412B-15	Sequence 15, Appl
38	427.5	55.9	194	2	US-08-468-547-1	Sequence 1, Appl
39	427.5	55.9	194	2	US-08-817-260-2	Sequence 2, Appl
40	427.5	55.9	194	2	US-08-867-937-1	Sequence 1, Appl
41	427.5	55.9	194	2	US-08-867-471-15	Sequence 15, Appl
42	427.5	55.9	194	2	US-08-438-439C-15	Sequence 15, Appl
43	427.5	55.9	194	2	US-08-438-439C-23	Sequence 23, Appl
44	427.5	55.9	194	2	US-08-951-822-31	Sequence 31, Appl
45	427.5	55.9	194	2	US-08-951-822-31	Sequence 31, Appl

RESULT 1

US-09-023-082A-68
Sequence 68, Application US/09023082A
Patent No. 6077692
GENERAL INFORMATION:
APPLICANT: RUBEN, STEVEN M.
APPLICANT: JIMENEZ, PABLO
APPLICANT: DUAN, D. ROXANNE
APPLICANT: RAMPY, MARK A.
APPLICANT: MENDRICK, DONNA
APPLICANT: ZHANG, JUN
APPLICANT: NI, JIAN
APPLICANT: MOORE, PAUL A.
APPLICANT: COLEMAN, TIMOTHY A.
APPLICANT: GRUBER, JOACHIM R.
APPLICANT: DILLON, PATRICK J.
APPLICANT: GENTZ, RETNER L.
TITLE OF INVENTION: KERATINOCYTE GROWTH FACTOR-2
NUMBER OF SEQUENCES: 148
CORRESPONDENCE ADDRESS:
ADDRESSEE: STERNE, KESSLER, GOLDSTEIN & FOX, P.L.L.C.
STREET: 1100 NEW YORK AVE, NW, SUITE 600
CITY: WASHINGTON
STATE: DC
COUNTRY: USA
ZIP: 20005-3934
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/023, 082A
CLASSIFICATION: 435
FILING DATE: 13-FEB-1998
PRIORITY APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/01790
FILING DATE: 14-FEB-1995
PRIORITY APPLICATION DATA:
APPLICATION NUMBER: US 08/461,195
FILING DATE: 05-JUN-1995
PRIORITY APPLICATION DATA:
APPLICATION NUMBER: US 60/023,852
FILING DATE: 13-AUG-1996
PRIORITY APPLICATION DATA:
APPLICATION NUMBER: US 60/039,045
FILING DATE: 28-FEB-1997
PRIORITY APPLICATION DATA:
APPLICATION NUMBER: US 08/862,432
FILING DATE: 23-MAY-1997

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/910,875
FILING DATE: 13-AUG-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
ATTORNEY/AGENT INFORMATION:
NAME: STEFFEE, ERIC K.
REGISTRATION NUMBER: 36,688
REFERENCE/DOCKET NUMBER: 1488.0360008/EKS
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-371-2600
TELEFAX: 202-371-2540
INFORMATION FOR SEQ ID NO: 68:
SEQUENCE CHARACTERISTICS:
LENGTH: 147 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-023-082A-68

Query Match

Best Local Similarity 100.0%; Score 765; DB 3; Length 147;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNIHOGDVWRKLFSTFKYFLKIEKNGVSGTKKENCPSYLSLETSVEIGVAVKA 60
DB 5 HVRSYNIHOGDVWRKLFSTFKYFLKIEKNGVSGTKKENCPSYLSLETSVEIGVAVKA 64
QY 61 INSNTYLAAMKKGKLYGSKREFNNDCKLKERIEENGNTYASFNMOHNGROMYVALNGKA 120
DB 65 INSNTYLAAMKKGKLYGSKREFNNDCKLKERIEENGNTYASFNMOHNGROMYVALNGKA 124
QY 121 PRGQKTRRKNTSAHFLPMVYHS 143
DB 125 PRGQKTRRKNTSAHFLPMVYHS 147

RESULT 2

US-09-023-082A-116
Sequence 116, Application US/09023082A
Patent No. 6077692

GENERAL INFORMATION:
APPLICANT: RUBEN, STEVEN M.
APPLICANT: JIMENEZ, PABLO
APPLICANT: DUAN, D. ROXANNE
APPLICANT: RAMPY, MARK A.
APPLICANT: MENDRICK, DONNA
APPLICANT: ZHANG, JUN
APPLICANT: NI, JIAN
APPLICANT: MOORE, PAUL A.
APPLICANT: COLEMAN, TIMOTHY A.
APPLICANT: GRUBER, JOACHIM R.
APPLICANT: DILLON, PATRICK J.
APPLICANT: GENTZ, REINER L.
TITLE OF INVENTION: KERATINOCYTE GROWTH FACTOR-2
NUMBER OF SEQUENCES: 148
CORRESPONDENCE ADDRESS:
ADDRESSEE: STERN, KESSLER, GOLDSTEIN & FOX, P.L.L.C.
STREET: 1100 NEW YORK AVE, NW, SUITE 600
CITY: WASHINGTON
STATE: DC

COUNTRY: USA
ZIP: 20005-3934
COMPUTER READABLE FORM:
MEDIUM TYPE: floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/023,082A
FILING DATE: 13-FEB-1998
CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: PCT/US95/01790
FILING DATE: 14-FEB-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/461,195
FILING DATE: 05-JUN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/023,852
FILING DATE: 13-AUG-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/039,045
FILING DATE: 28-FEB-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/862,432
FILING DATE: 23-MAY-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/910,875
FILING DATE: 13-AUG-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
ATTORNEY/AGENT INFORMATION:
NAME: STEFFEE, ERIC K.
REGISTRATION NUMBER: 36,688
REFERENCE/DOCKET NUMBER: 1488.0360008/EKS
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-371-2600
TELEFAX: 202-371-2540
INFORMATION FOR SEQ ID NO: 116:
SEQUENCE CHARACTERISTICS:
LENGTH: 171 amino acids
TYPE: amino acid
STRANDEDNESS: single
TOPOLOGY: not relevant
MOLECULE TYPE: protein
US-09-023-082A-116

Query Match

Best Local Similarity 100.0%; Score 765; DB 3; Length 171;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNIHOGDVWRKLFSTFKYFLKIEKNGVSGTKKENCPSYLSLETSVEIGVAVKA 60
DB 29 HVRSYNIHOGDVWRKLFSTFKYFLKIEKNGVSGTKKENCPSYLSLETSVEIGVAVKA 88
QY 61 INSNTYLAAMKKGKLYGSKREFNNDCKLKERIEENGNTYASFNMOHNGROMYVALNGKA 120
DB 89 INSNTYLAAMKKGKLYGSKREFNNDCKLKERIEENGNTYASFNMOHNGROMYVALNGKA 148
QY 121 PRGQKTRRKNTSAHFLPMVYHS 143
DB 149 PRGQKTRRKNTSAHFLPMVYHS 171

RESULT 3

US-09-023-082A-43
Sequence 43, Application US/09023082A
Patent No. 6077692

GENERAL INFORMATION:
APPLICANT: RUBEN, STEVEN M.
APPLICANT: JIMENEZ, PABLO
APPLICANT: DUAN, D. ROXANNE
APPLICANT: RAMPY, MARK A.
APPLICANT: MENDRICK, DONNA
APPLICANT: ZHANG, JUN
APPLICANT: NI, JIAN
APPLICANT: MOORE, PAUL A.
APPLICANT: COLEMAN, TIMOTHY A.
APPLICANT: GRUBER, JOACHIM R.
APPLICANT: DILLON, PATRICK J.
APPLICANT: GENTZ, REINER L.
TITLE OF INVENTION: KERATINOCYTE GROWTH FACTOR-2
NUMBER OF SEQUENCES: 148

```

CORRESPONDENCE ADDRESS:
ADDRESS: STERN, KESSLER, GOLDSTEIN & FOX, P.L.L.C.
STREET: 1100 NEW YORK AVE, NW, SUITE 600
CITY: WASHINGTON
STATE: DC
COUNTRY: USA
ZIP: 20005-3934
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/023,082A
FILING DATE: 13-FEB-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/01790
FILING DATE: 14-FEB-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/461,195
FILING DATE: 05-JUN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/023,852
FILING DATE: 13-AUG-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/039,045
FILING DATE: 28-FEB-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/862,432
FILING DATE: 23-MAY-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/910,875
FILING DATE: 13-AUG-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
ATTORNEY/AGENT INFORMATION:
NAME: STEFFE, ERIC K.
REGISTRATION NUMBER: 3,688
REFERENCE/DOCKET NUMBER: 1488, 0360008/EKS
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-371-2600
TELEFAX: 202-371-2540
INFORMATION FOR SEQ ID NO: 43:
SEQUENCE CHARACTERISTICS:
LENGTH: 174 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-023-082A-43

Query Match 100.0%; Score 765; DB 3; Length 174;
Best Local Similarity 100.0%; Pred. No. 9,66-78;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0

0Y 1 HVRSNHHLOGDVRWKRKTSFTKTKFKLIEKNGKVGSTKKNCPYSILETISVEIGVAAVKA 60
Db 32 HVRSNHHLOGDVRWKRKLSFTKFKLIEKNGKVGSTKKNCPYSILETISVEIGVAAVKA 91
0Y 61 INSNTYLLANKKGLYGSKEFNDDKLEKRIENGNYTASFNMWQHNGROMYVALNGKA 120
Db 92 INSNTYLLANKKGLYGSKEFNDDKLEKRIENGNYTASFNMWQHNGROMYVALNGKA 151
0Y 121 PRGOKTRRKNTSAHFLPMVVS 143
Db 152 PRGOKTRRKNTSAHFLPMVVS 174

```

Db 32 HRSYHNLQGDVBRKLFSEFTKYFLKTEKNGKVSCTKKNCPYSILEITSVEIGVAVKA 91
QY 61 INSNYYLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMWONGROMYVALNGKA 120
Db 92 INSNYYLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMWONGROMYVALNGKA 151
QY 121 PRGOKTRRKNTSAHFLPMVHVS 143
Db 152 PRGOKTRRKNTSAHFLPMVHVS 174

RESULT 5

US-09-023-082A-66
Sequence 66, Application US/09023082A
Patent No. 6077692

GENERAL INFORMATION:
APPLICANT: RUBEN, STEVEN M.
APPLICANT: JIMENEZ, PABLO
APPLICANT: DUAN, D. ROXANNE
APPLICANT: RAMPY, MARK A.
APPLICANT: MENDRICK, DONNA
APPLICANT: ZHANG, JUN
APPLICANT: NI, JIAN
APPLICANT: MOORE, PAUL A.
APPLICANT: COLEMAN, TIMOTHY A.
APPLICANT: GRUBER, JOACHIM R.
APPLICANT: DILLON, PATRICK J.
APPLICANT: GENTZ, REINER L.
TITLE OF INVENTION: KERATINOCYTE GROWTH FACTOR-2
NUMBER OF SEQUENCES: 148
CORRESPONDENCE ADDRESS:
ADDRESSEE: STERNE, KESSLER, GOLDSTEIN & FOX, P.L.L.C.
STREET: 1100 NEW YORK AVE, NW, SUITE 600
CITY: WASHINGTON
STATE: DC

COUNTRY: USA
ZIP: 20005-3934

COMPUTER READABLE FORM:

MEDIUM TYPE: FLOPPY disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/023,082A
FILING DATE: 13-FEB-1998
CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: PCT/US95/01790
FILING DATE: 14-FEB-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/461,195
FILING DATE: 05-JUN-1995

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 60/023,852
FILING DATE: 13-AUG-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/039,045
FILING DATE: 28-FEB-1997

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 08/862,432
FILING DATE: 23-MAY-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/910,875
FILING DATE: 13-AUG-1997

PRIOR APPLICATION DATA:

APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
ATTORNEY/AGENT INFORMATION:
NAME: STEFFE, ERIC K.

REGISTRATION NUMBER: 36,688
REFERENCE/DOCKET NUMBER: 1468.0360008/EKS
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-371-2600

TELEFAX: 202-371-2540
INFORMATION FOR SEQ ID NO: 66:
SEQUENCE CHARACTERISTICS:
LENGTH: 174 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-023-082A-66

Query Match 100.0%; Score 765; DB 3; Length 174;
Best Local Similarity 100.0%; Pred No. 9, 66-78;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HRSYHNLQGDVBRKLFSEFTKYFLKTEKNGKVSCTKKNCPYSILEITSVEIGVAVKA 60
Db 32 HRSYHNLQGDVBRKLFSEFTKYFLKTEKNGKVSCTKKNCPYSILEITSVEIGVAVKA 91
QY 61 INSNYYLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMWONGROMYVALNGKA 120
Db 92 INSNYYLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMWONGROMYVALNGKA 151
QY 121 PRGOKTRRKNTSAHFLPMVHVS 143
Db 152 PRGOKTRRKNTSAHFLPMVHVS 174

RESULT 6

US-09-023-082A-30
Sequence 30, Application US/09023082A
Patent No. 6077692

GENERAL INFORMATION:
APPLICANT: RUBEN, STEVEN M.
APPLICANT: JIMENEZ, PABLO
APPLICANT: DUAN, D. ROXANNE
APPLICANT: RAMPY, MARK A.
APPLICANT: MENDRICK, DONNA
APPLICANT: ZHANG, JUN
APPLICANT: NI, JIAN
APPLICANT: MOORE, PAUL A.
APPLICANT: COLEMAN, TIMOTHY A.
APPLICANT: GRUBER, JOACHIM R.
APPLICANT: DILLON, PATRICK J.
APPLICANT: GENTZ, REINER L.
TITLE OF INVENTION: KERATINOCYTE GROWTH FACTOR-2
NUMBER OF SEQUENCES: 148
CORRESPONDENCE ADDRESS:
ADDRESSEE: STERNE, KESSLER, GOLDSTEIN & FOX, P.L.L.C.
STREET: 1100 NEW YORK AVE, NW, SUITE 600
CITY: WASHINGTON
STATE: DC

COUNTRY: USA
ZIP: 20005-3934

COMPUTER READABLE FORM:

MEDIUM TYPE: FLOPPY disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/023,082A
FILING DATE: 13-FEB-1998
CLASSIFICATION: 435

PRIOR APPLICATION DATA:

APPLICATION NUMBER: PCT/US95/01790
FILING DATE: 14-FEB-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/461,195
FILING DATE: 05-JUN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/023,852
FILING DATE: 13-AUG-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/039,045
FILING DATE: 28-FEB-1997

PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/862,432
FILING DATE: 23-MAY-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/910,875
FILING DATE: 13-AUG-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
ATTORNEY/AGENT INFORMATION:
NAME: STEFFEL, ERIC K.
REGISTRATION NUMBER: 36,688
REFERENCE/DOCKET NUMBER: 1488.0360008/EKS
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-371-2600
TELEFAX: 202-371-2540
INFORMATION FOR SEQ ID NO: 30:
SEQUENCE CHARACTERISTICS:
LENGTH: 184 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-023-082A-30

Query Match 100.0%; Score 765; DB: 3; Length 184;
Best Local Similarity 100.0%; Pred. No. 1e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNHLQGDVWRKLFSTKFKYFLKIEKNGKVGSTKKNCPYSILETTSVEIGVAVKA 60
|||||
DB 42 HVRSYNHLQGDVWRKLFSTKFKYFLKIEKNGKVGSTKKNCPYSILETTSVEIGVAVKA 101
QY 61 INSNTYLAAMKKGKLYGSKFENNDCKLKERIEENGNTYASFMWQHNGROMYVALNGKA 120
|||||
DB 102 INSNTYLAAMKKGKLYGSKFENNDCKLKERIEENGNTYASFMWQHNGROMYVALNGKA 161
QY 121 PRRGQKTRRKNTSAHFLPMVYHS 143
|||||
DB 162 PRRGQKTRRKNTSAHFLPMVYHS 184

RESULT 7
US-08-462-169B-20
Sequence 20, Application US/08462169B
Patent No. 5773252
GENERAL INFORMATION:
APPLICANT: John Greene and Craig A. Rosen
TITLE OF INVENTION: Fibroblast Growth Factor-15
NUMBER OF SEQUENCES: 32
CORRESPONDENCE ADDRESS:
ADDRESSEE: CARELLA, BYRNE, BAIN, GILFILLAN,
STREET: 6 BECKER FARM ROAD
CITY: ROSELAND
STATE: NEW JERSEY
COUNTRY: USA
ZIP: 07068
COMPUTER READABLE FORM:
MEDIUM TYPE: 3.5 INCH DISKETTE
COMPUTER: IBM PS/2
OPERATING SYSTEM: MS-DOS
SOFTWARE: WORD PERFECT 5.1
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/462,169B
FILING DATE: 05 JUN 95
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: MULLINS, J.G.
REGISTRATION NUMBER: 33,073
REFERENCE/DOCKET NUMBER: 325800-441 (PF203)
TELECOMMUNICATION INFORMATION:
TELEPHONE: 201-994-1700
TELEFAX: 201-994-1744

INFORMATION FOR SEQ ID NO: 20:
SEQUENCE CHARACTERISTICS:
LENGTH: 208 AMINO ACIDS
TYPE: AMINO ACID
STRANDEDNESS:
TOPOLOGY: LINEAR
MOLECULE TYPE: PROTEIN
US-08-462-169B-20

Query Match 100.0%; Score 765; DB: 1; Length 208;
Best Local Similarity 100.0%; Pred. No. 1.2e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNHLQGDVWRKLFSTKFKYFLKIEKNGKVGSTKKNCPYSILETTSVEIGVAVKA 60
|||||
DB 66 HVRSYNHLQGDVWRKLFSTKFKYFLKIEKNGKVGSTKKNCPYSILETTSVEIGVAVKA 125
QY 61 INSNTYLAAMKKGKLYGSKFENNDCKLKERIEENGNTYASFMWQHNGROMYVALNGKA 120
|||||
DB 126 INSNTYLAAMKKGKLYGSKFENNDCKLKERIEENGNTYASFMWQHNGROMYVALNGKA 185
QY 121 PRRGQKTRRKNTSAHFLPMVYHS 143
|||||
DB 186 PRRGQKTRRKNTSAHFLPMVYHS 208

RESULT 8
US-08-951-822-30
Sequence 30, Application US/08951822A
Patent No. 5989866
GENERAL INFORMATION:
APPLICANT: Deisher, Theresa A.
APPLICANT: Conklin, Darrell C.
APPLICANT: Raymond, Penella
APPLICANT: Bukowski, Thomas R.
APPLICANT: Holderman, Susan D.
APPLICANT: Hansen, Birgit
APPLICANT: Sheppard, Paul O.
TITLE OF INVENTION: NOVEL FGF HOMOLOGS
FILE REFERENCE: 96-20
CURRENT APPLICATION NUMBER: US/08/951,822A
CURRENT FILING DATE: 1997-10-16
NUMBER OF SEQ ID NOS: 36
SOFTWARE: FastSeq for Windows Version 3.0
SEQ ID NO 30
LENGTH: 208
TYPE: PRT
ORGANISM: Homo sapiens
US-08-951-822-30

Query Match 100.0%; Score 765; DB: 2; Length 208;
Best Local Similarity 100.0%; Pred. No. 1.2e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNHLQGDVWRKLFSTKFKYFLKIEKNGKVGSTKKNCPYSILETTSVEIGVAVKA 60
|||||
DB 66 HVRSYNHLQGDVWRKLFSTKFKYFLKIEKNGKVGSTKKNCPYSILETTSVEIGVAVKA 125
QY 61 INSNTYLAAMKKGKLYGSKFENNDCKLKERIEENGNTYASFMWQHNGROMYVALNGKA 120
|||||
DB 126 INSNTYLAAMKKGKLYGSKFENNDCKLKERIEENGNTYASFMWQHNGROMYVALNGKA 185
QY 121 PRRGQKTRRKNTSAHFLPMVYHS 143
|||||
DB 186 PRRGQKTRRKNTSAHFLPMVYHS 208

RESULT 9
US-09-103-079-20
Sequence 20, Application US/09103079A
Patent No. 6013477
GENERAL INFORMATION:
APPLICANT: Greene, John M.

APPLICANT: Rosen, Craig A.
TITLE OF INVENTION: Fibroblast Growth Factor 15
FILE REFERENCE: PF203D1
CURRENT APPLICATION NUMBER: US/09/103,079A
CURRENT FILING DATE: 1998-06-23
EARLIER APPLICATION NUMBER: 08/462,169
EARLIER FILING DATE: 1995-06-05
NUMBER OF SEQ ID NOS: 32
SOFTWARE: PatentIn Ver. 2.0
SEQ ID NO: 20
LENGTH: 208
TYPE: PRT
ORGANISM: Homo sapiens
US-09-103-079-20

Query Match 100.0%; Score 765; DB 3; Length 208;
Best Local Similarity 100.0%; Pred. No. 1,2e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Y 1 HVRSYNLQGDVWRKLFSTKTFLEKIKNGKVSSTKKEPCYSILETSVEIGVAVKA 60
D 66 HVRSYNLQGDVWRKLFSTKTFLEKIKNGKVSSTKKEPCYSILETSVEIGVAVKA 125
QY 61 INSYYLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFMWQHNGROMYVALNGKA 120
D 126 INSYYLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFMWQHNGROMYVALNGKA 185
QY 121 PRGGQTRRKNTSAHFLPMVYHS 143
D 186 PRGGQTRRKNTSAHFLPMVYHS 208

RESULT 10
US-09-023-082A-2
Sequence 2, Application US/09023082A
Patent No. 6077692
GENERAL INFORMATION:
APPLICANT: RUBEN, STEVEN M.
APPLICANT: JIMENEZ, PABLO
APPLICANT: DUAN, D. ROXANNE
APPLICANT: RAMPY, MARK A.
APPLICANT: MENDRICK, DONNA
APPLICANT: ZHANG, JUN
APPLICANT: NI, JIAN
APPLICANT: MOORE, PAUL A.
APPLICANT: COLEMAN, TIMOTHY A.
APPLICANT: GRUBER, JOACHIM R.
APPLICANT: DILLON, PATRICK J.
APPLICANT: GENTZ, REINER L.
TITLE OF INVENTION: KERATINOCYTE GROWTH FACTOR-2
NUMBER OF SEQUENCES: 148
CORRESPONDENCE ADDRESS:
ADDRESSEE: STERNE, KESSLER, GOLDSTEIN & FOX, P.L.L.C.
STREET: 1100 NEW YORK AVE, NW, SUITE 600
CITY: WASHINGTON
STATE: DC
COUNTRY: USA
ZIP: 20005-3934
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/023,082A
FILING DATE: 13-FEB-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/01790
FILING DATE: 14-FEB-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/461,195
FILING DATE: 05-JUN-1995

PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/023,852
FILING DATE: 13-AUG-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/039,045
FILING DATE: 28-FEB-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/862,432
FILING DATE: 23-MAY-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/910,875
FILING DATE: 13-AUG-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
ATTORNEY/AGENT INFORMATION:
NAME: STEEFEE, ERIC K.
REGISTRATION NUMBER: 36,688
REFERENCE/DOCKET NUMBER: 1488,0360008/EKS
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-371-2600
TELEFAX: 202-371-2540
INFORMATION FOR SEQ ID NO: 2:
SEQUENCE CHARACTERISTICS:
LENGTH: 208 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-023-082A-2

Query Match 100.0%; Score 765; DB 3; Length 208;
Best Local Similarity 100.0%; Pred. No. 1,2e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNLQGDVWRKLFSTKTFLEKIKNGKVSSTKKEPCYSILETSVEIGVAVKA 60
D 66 HVRSYNLQGDVWRKLFSTKTFLEKIKNGKVSSTKKEPCYSILETSVEIGVAVKA 125
QY 61 INSYYLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFMWQHNGROMYVALNGKA 120
D 126 INSYYLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFMWQHNGROMYVALNGKA 185
QY 121 PRGGQTRRKNTSAHFLPMVYHS 143
D 186 PRGGQTRRKNTSAHFLPMVYHS 208

RESULT 11
US-09-023-082A-20
Sequence 20, Application US/09023082A
Patent No. 6077692
GENERAL INFORMATION:
APPLICANT: RUBEN, STEVEN M.
APPLICANT: JIMENEZ, PABLO
APPLICANT: DUAN, D. ROXANNE
APPLICANT: RAMPY, MARK A.
APPLICANT: MENDRICK, DONNA
APPLICANT: ZHANG, JUN
APPLICANT: NI, JIAN
APPLICANT: MOORE, PAUL A.
APPLICANT: COLEMAN, TIMOTHY A.
APPLICANT: GRUBER, JOACHIM R.
APPLICANT: DILLON, PATRICK J.
APPLICANT: GENTZ, REINER L.
TITLE OF INVENTION: KERATINOCYTE GROWTH FACTOR-2
NUMBER OF SEQUENCES: 148
CORRESPONDENCE ADDRESS:
ADDRESSEE: STERNE, KESSLER, GOLDSTEIN & FOX, P.L.L.C.
STREET: 1100 NEW YORK AVE, NW, SUITE 600
CITY: WASHINGTON
STATE: DC
COUNTRY: USA
ZIP: 20005-3934

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/023,082A
FILING DATE: 13-FEB-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/01790
FILING DATE: 14-FEB-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/461,195
FILING DATE: 05-JUN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/023,852
FILING DATE: 13-AUG-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/039,045
FILING DATE: 28-FEB-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/862,432
FILING DATE: 23-MAY-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
ATTORNEY/AGENT INFORMATION:
NAME: STEEFEE, ERIC K.
REGISTRATION NUMBER: 36,688
REFERENCE/DOCKET NUMBER: 1488, 0360008/EKS
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-371-2540
TELEFAX: 202-371-2540
INFORMATION FOR SEQ ID NO: 20:
SEQUENCE CHARACTERISTICS:
LENGTH: 208 amino acids
TYPE: amino acid
STRANDEDNESS: not relevant
TOPOLOGY: not relevant
MOLECULE TYPE: protein
US-09-023-082A-20

Query Match 100.0%; Score 765; DB 3; Length 208;
Best Local Similarity 100.0%; Pred. No. 1,2e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

1 HVRSYNHLGGDVWRKLFSTKYFLKIEKNKGVSGTKKNCPSILEITTSVEIGVAVKA 60
|||||
66 HVRSYNHLGGDVWRKLFSTKYFLKIEKNKGVSGTKKNCPSILEITTSVEIGVAVKA 125

DB 61 INSNTYLLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMQHNGROMYVALNGKA 120
|||||
DB 126 INSNTYLLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMQHNGROMYVALNGKA 185

QY 121 PRRGOKTRKRNTSAHFLPMVYHS 143
|||||
DB 186 PRRGOKTRKRNTSAHFLPMVYHS 208

RESULT 12
US-09-023-082A-24
Sequence 24, Application US/09023082A
Patent No. 6077692
GENERAL INFORMATION:
APPLICANT: RUBEN, STEVEN M.
APPLICANT: JIMENEZ, PABLO
APPLICANT: DUAN, D. ROXANNE
APPLICANT: RAMPY, MARK A.
APPLICANT: MENDRICK, DONNA

APPLICANT: ZHANG, JUN
APPLICANT: NI, JIAN
APPLICANT: MOORE, PAUL A.
APPLICANT: COLEMAN, TIMOTHY A.
APPLICANT: GRUBER, JOACHIM R.
APPLICANT: DILLON, PATRICK J.
APPLICANT: GENTZ, REINER L.
TITLE OF INVENTION: KERATINOCYTE GROWTH FACTOR-2
NUMBER OF SEQUENCES: 148
CORRESPONDENCE ADDRESS:
ADDRESSEE: STERN, KESSLER, GOLDSTEIN & FOX, P.L.L.C.
STREET: 1100 NEW YORK AVE, NW, SUITE 600
CITY: WASHINGTON
STATE: DC
COUNTRY: USA
ZIP: 20005-3934

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patentin Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/023,082A
FILING DATE: 13-FEB-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/01790
FILING DATE: 14-FEB-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/461,195
FILING DATE: 05-JUN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/023,852
FILING DATE: 13-AUG-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/039,045
FILING DATE: 28-FEB-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/862,432
FILING DATE: 23-MAY-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
ATTORNEY/AGENT INFORMATION:
NAME: STEEFEE, ERIC K.
REGISTRATION NUMBER: 36,688
REFERENCE/DOCKET NUMBER: 1488, 0360008/EKS
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-371-2540
TELEFAX: 202-371-2540
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 208 amino acids
TYPE: amino acid
TOPOLOGY: linear
MOLECULE TYPE: protein
US-09-023-082A-24

Query Match 100.0%; Score 765; DB 3; Length 208;
Best Local Similarity 100.0%; Pred. No. 1,2e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

1 HVRSYNHLGGDVWRKLFSTKYFLKIEKNKGVSGTKKNCPSILEITTSVEIGVAVKA 60
|||||
66 HVRSYNHLGGDVWRKLFSTKYFLKIEKNKGVSGTKKNCPSILEITTSVEIGVAVKA 125

DB 61 INSNTYLLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMQHNGROMYVALNGKA 120
|||||
DB 126 INSNTYLLAMNKKGLYSGKEFNNDCKLKERIEENGNTYASFNMQHNGROMYVALNGKA 185

QY 121 PRGQKTRKNTSAHFLPMVVS 143
DB 186 PRGQKTRKNTSAHFLPMVVS 208

RESULT 13

US-09-023-082A-39
Sequence 39, Application US/09023082A
Patent No. 6077692

GENERAL INFORMATION:

APPLICANT: RUBEN, STEVEN M.
APPLICANT: JIMENEZ, PABLO
APPLICANT: DUAN, D. ROXANNE
APPLICANT: RAMPEY, MARK A.
APPLICANT: MENDRICK, DONNA
APPLICANT: NI, JIAN
APPLICANT: MOORE, PAUL A.
APPLICANT: COLEMAN, TIMOTHY A.
APPLICANT: GROBER, JOACHIM R.
APPLICANT: DILLON, PATRICK J.
APPLICANT: GENTZ, REINER L.
TITLE OF INVENTION: KERATINOCYTE GROWTH FACTOR-2
NUMBER OF SEQUENCES: 148
CORRESPONDENCE ADDRESS:
ADDRESSEE: STERN, KESSLER, GOLDSTEIN & FOX, P.L.L.C.
STREET: 1100 NEW YORK AVE, NW, SUITE 600
CITY: WASHINGTON
STATE: DC
COUNTRY: USA
ZIP: 20005-3934

COMPUTER READABLE FORM:

MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/09/023,082A
FILING DATE: 13-FEB-1998
CLASSIFICATION: 435
PRIOR APPLICATION DATA:
APPLICATION NUMBER: PCT/US95/01790
FILING DATE: 14-FEB-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/461,195
FILING DATE: 05-JUN-1995
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/023,852
FILING DATE: 13-AUG-1996
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/039,045
FILING DATE: 28-FEB-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/862,432
FILING DATE: 23-MAY-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 08/910,875
FILING DATE: 13-AUG-1997
PRIOR APPLICATION DATA:
APPLICATION NUMBER: US 60/055,561
FILING DATE: 13-AUG-1997
ATTORNEY/AGENT INFORMATION:
NAME: STEFFE, ERIC K.
REGISTRATION NUMBER: 36,688
REFERENCE/DOCKET NUMBER: 1488, 0360008/EKS
TELECOMMUNICATION INFORMATION:
TELEPHONE: 202-371-2600
TELEFAX: 202-371-2540

INFORMATION FOR SEQ ID NO: 39:
SEQUENCE CHARACTERISTICS:
LENGTH: 208 amino acids
TYPE: amino acid
TOPOLOGY: linear

MOLECULE TYPE: protein
US-09-023-082A-39

Query Match
Best Local Similarity 100.0%; Score 765; DB 3; Length 208;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNHLOGDVWRKRLFSFTKYELKIEKNGKVSSTKREKNCPSYLETTSVEIGVAVKA 60

DB 66 HVRSYNHLOGDVWRKRLFSFTKYELKIEKNGKVSSTKREKNCPSYLETTSVEIGVAVKA 125

QY 61 INSNTYLAANKKGLYGSKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKA 120

DB 126 INSNTYLAANKKGLYGSKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKA 185

QY 121 PRGQKTRKNTSAHFLPMVVS 143

DB 186 PRGQKTRKNTSAHFLPMVVS 208

RESULT 14

US-09-218-444-2
Sequence 2, Application US/09218444
Patent No. 6238888

GENERAL INFORMATION:

APPLICANT: Gentz, Reiner L.
APPLICANT: Chopra, Arvind
APPLICANT: Kauschal, Parveen
APPLICANT: Spitznagel, Thomas
APPLICANT: Unsworth, Edward
APPLICANT: Khan, Fazal
TITLE OF INVENTION: Keratinocyte Growth Factor-2 Formulations
FILE REFERENCE: 1488, 1030001
CURRENT APPLICATION NUMBER: US/09/218,444
CURRENT FILING DATE: 1998-12-22
EARLIER APPLICATION NUMBER: US 60/068,493
EARLIER FILING DATE: 1997-12-22
NUMBER OF SEQ ID NOS: 33
SOFTWARE: Patentin Ver. 2.0
SEQ ID NO 2
LENGTH: 208
TYPE: PRT
ORGANISM: Homo sapiens
US-09-218-444-2

Query Match
Best Local Similarity 100.0%; Score 765; DB 4; Length 208;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNHLOGDVWRKRLFSFTKYELKIEKNGKVSSTKREKNCPSYLETTSVEIGVAVKA 60

DB 66 HVRSYNHLOGDVWRKRLFSFTKYELKIEKNGKVSSTKREKNCPSYLETTSVEIGVAVKA 125

QY 61 INSNTYLAANKKGLYGSKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKA 120

DB 126 INSNTYLAANKKGLYGSKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKA 185

QY 121 PRGQKTRKNTSAHFLPMVVS 143

DB 186 PRGQKTRKNTSAHFLPMVVS 208

RESULT 15

US-09-368-951-30
Sequence 30, Application US/09368951
Patent No. 6352971

GENERAL INFORMATION:

APPLICANT: Deisher, Theresa A.
APPLICANT: Conklin, Darrell C.
APPLICANT: Raymond, Renella
APPLICANT: Bukowski, Thomas R.
APPLICANT: Holderman, Susan D.
APPLICANT: Hansen, Birgit

APPLICANT: Sheppard, Paul O.
TITLE OF INVENTION: NOVEL FGF HOMOLOGS
FILE REFERENCE: 96-20
CURRENT APPLICATION NUMBER: US/09/368, 951
CURRENT FILING DATE: 1999-08-05
EARLIER APPLICATION NUMBER: 08/951, 822
EARLIER FILING DATE: 1997-10-16
NUMBER OF SEQ ID NOS: 36
SOFTWARE: FASTSEQ for Windows Version 3.0
SEQ ID NO: 30
LENGTH: 208
TYPE: PRT
ORGANISM: Homo sapiens
US-09-368-951-30

Query Match 100.0%; Score 765; DB 4; Length 208;
Best Local Similarity 100.0%; Pred. No. 1.2e-77;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

1 HVRSYVHLOGDVRWRPLSETKYFLKIEKNGVSGTKKENCPSILEITSVETGVAVKA 60
|||||
66 HVRSYVHLOGDVRWRPLSETKYFLKIEKNGVSGTKKENCPSILEITSVETGVAVKA 125
|||||
QY 61 INSNYLLAMNKKKGLYGSKEFNNDCKLERIEENGYNFYASFNMQHNGRQYVALNGKA 120
|||||
DB 126 INSNYLLAMNKKKGLYGSKEFNNDCKLERIEENGYNFYASFNMQHNGRQYVALNGKA 185
|||||
QY 121 PRGQKTRRRKNTSAHFLPMVVS 143
|||||
DB 186 PRGQKTRRRKNTSAHFLPMVVS 208
|||||

Search completed: November 18, 2002, 16:07:45
Job time : 15 secs



GenCore version 5.1.3
Copyright (c) 1993 - 2002 Compugen Ltd.

OM protein - protein search, using sw model

Run on: November 18, 2002, 16:07:32 : Search time 11 Seconds

(without alignments)
195/792 Million cell updates/sec

Title: US-09-284-100a-2_copy_66_208

Perfect score: 765

Sequence: 1 HVRSYNHLQGVRRKLFSEFTKFLYKLEKNGKVSCTKKEKCPYSILETTSVEIGVAVKA 143

Scoring table: BLOSUM62

Gapop 10.0, Gapext 0.5

Searched: 97044 seqs, 15060890 residues

al number of hits satisfying chosen parameters: 97044

Database: Published Applications-AA:*

1: /cgn2_6/ptodata/1/pubpaa/US08_NEM_PUB.pep:*

2: /cgn2_6/ptodata/1/pubpaa/PC1_NEM_PUB.pep:*

3: /cgn2_6/ptodata/1/pubpaa/US06_NEM_PUB.pep:*

4: /cgn2_6/ptodata/1/pubpaa/US06_PUBCOMB.pep:*

5: /cgn2_6/ptodata/1/pubpaa/US07_NEM_PUB.pep:*

6: /cgn2_6/ptodata/1/pubpaa/US07_PUBCOMB.pep:*

7: /cgn2_6/ptodata/1/pubpaa/PC1US_PUBCOMB.pep:*

8: /cgn2_6/ptodata/1/pubpaa/US08_PUBCOMB.pep:*

9: /cgn2_6/ptodata/1/pubpaa/US09_NEM_PUB.pep:*

10: /cgn2_6/ptodata/1/pubpaa/US09_PUBCOMB.pep:*

11: /cgn2_6/ptodata/1/pubpaa/US10_NEM_PUB.pep:*

12: /cgn2_6/ptodata/1/pubpaa/US10_PUBCOMB.pep:*

13: /cgn2_6/ptodata/1/pubpaa/US60_NEM_PUB.pep:*

14: /cgn2_6/ptodata/1/pubpaa/US60_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Query length	DB ID	Description
1	765	100.0	208	US-09-822-485-13	Sequence 13, Appl
2	765	100.0	208	US-09-853-666-2	Sequence 2, Appl
3	765	100.0	208	US-09-750-963-4	Sequence 4, Appl
4	765	100.0	208	US-09-425-021-20	Sequence 20, Appl
5	765	100.0	243	US-09-925-302-586	Sequence 586, Appl
6	748	97.8	141	US-09-853-666-17	Sequence 17, Appl
7	748	97.8	141	US-09-853-666-33	Sequence 33, Appl
8	700.5	91.6	135	US-09-901-938-20	Sequence 20, Appl
9	435	56.9	162	US-09-822-485-35	Sequence 35, Appl
10	431	56.3	148	US-09-822-485-3	Sequence 3, Appl
11	431	56.3	170	US-09-822-485-2	Sequence 2, Appl
12	431	56.3	170	US-09-750-963-2	Sequence 2, Appl
13	431	56.3	170	US-10-005-646-4	Sequence 4, Appl
14	430	56.2	140	US-09-822-485-33	Sequence 33, Appl
15	430	56.2	162	US-09-822-485-32	Sequence 32, Appl
16	427.5	55.9	194	US-09-822-485-10	Sequence 10, Appl
17	427.5	55.9	194	US-09-284-663A-11	Sequence 11, Appl
18	427.5	55.9	194	US-09-750-963-5	Sequence 5, Appl
19	427.5	55.9	194	US-09-902-773A-10	Sequence 10, Appl

20	427.5	55.9	194	10	US-09-251-263-15	Sequence 15, Appl
21	427.5	55.9	194	10	US-09-425-021-15	Sequence 15, Appl
22	422	55.2	193	9	US-10-131-965-11	Sequence 11, Appl
23	419.5	54.8	190	12	US-10-016-447-14	Sequence 14, Appl
24	411.5	53.8	194	10	US-09-990-578-2	Sequence 2, Appl
25	411.5	53.8	394	10	US-09-990-578-4	Sequence 4, Appl
26	399	52.2	136	9	US-09-901-938-21	Sequence 21, Appl
27	357	46.7	155	10	US-09-425-021-24	Sequence 24, Appl
28	352.5	46.1	183	12	US-10-016-447-15	Sequence 15, Appl
29	352.5	46.1	240	10	US-10-131-965-7	Sequence 7, Appl
30	352.5	46.1	245	10	US-09-251-263-11	Sequence 11, Appl
31	341.5	44.6	239	10	US-09-822-485-6	Sequence 6, Appl
32	341.5	44.6	239	10	US-09-750-963-8	Sequence 8, Appl
33	341.5	44.6	239	10	US-09-902-773A-9	Sequence 9, Appl
34	341.5	44.6	239	10	US-09-902-773A-9	Sequence 9, Appl
35	326.5	42.7	150	9	US-09-425-021-11	Sequence 11, Appl
36	326	42.6	205	10	US-09-817-814-9	Sequence 9, Appl
37	326	42.6	205	10	US-09-817-814-10	Sequence 10, Appl
38	326	42.6	205	10	US-09-817-814-11	Sequence 11, Appl
39	326	42.6	208	9	US-10-131-965-13	Sequence 13, Appl
40	326	42.6	208	10	US-09-822-485-12	Sequence 12, Appl
41	326	42.6	208	10	US-09-750-963-7	Sequence 7, Appl
42	326	42.6	208	10	US-09-902-773A-8	Sequence 8, Appl
43	326	42.6	208	10	US-09-805-805-3	Sequence 3, Appl
44	326	42.6	208	10	US-09-805-805-4	Sequence 4, Appl
45	326	42.6	208	10	US-09-805-805-6	Sequence 6, Appl

ALIGNMENTS

RESULT 1

US-09-822-485-13

Sequence 13, Application US/09822485

Patent No. US20020001825A1

GENERAL INFORMATION:

APPLICANT: Iton, No. US20020001825A1yuki

TITLE OF INVENTION: No. US20020001825A1el Fibroblast Growth Factor-Like Polypeptid

FILE REFERENCE: 08035, 0001-01000

CURRENT APPLICATION NUMBER: US/09/822,485

CURRENT FILING DATE: 2001-04-02

NUMBER OF SEQ ID NOS: 35

SOFTWARE: Patentin Ver. 2.0

SEQ ID NO 13

LENGTH: 208

TYPE: PRT

ORGANISM: Homo sapiens

PUBLICATION INFORMATION:

JOURNAL: J. Biol. Chem.

VOLUME: 272

PAGES: 23191-23194

DATE: 1997

US-09-822-485-13

Query Match 100.0%; Score 765; DB 10; Length 208;

Best Local Similarity 100.0%; Pred. No. 2.3e-76;

Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNHLQGVRRKLFSEFTKFLYKLEKNGKVSCTKKEKCPYSILETTSVEIGVAVKA 60

DB 66 HVRSYNHLQGVRRKLFSEFTKFLYKLEKNGKVSCTKKEKCPYSILETTSVEIGVAVKA 125

QY 61 INSNVYLAAMNKKGLYSGKEFNNDCKLERLENGVYTFASFMWQHNGROMYVALNKG 120

DB 126 INSNVYLAAMNKKGLYSGKEFNNDCKLERLENGVYTFASFMWQHNGROMYVALNKG 185

QY 121 PRGCKTRRKNTSAHFLPMVYHS 143

DB 186 PRGCKTRRKNTSAHFLPMVYHS 208

RESULT 2

US-09-853-666-2

```
; Sequence 2, Application US/09853666
; Patent No. US20020016295A1
; GENERAL INFORMATION:
; APPLICANT: Gentz, Reiner L.
; APPLICANT: Chopra, Arvind
; APPLICANT: Kausnal, Parveen
; APPLICANT: Spitznagel, Thomas
; APPLICANT: Unsworth, Edward
; APPLICANT: Khan, Fazal
; TITLE OF INVENTION: Keratinocyte Growth Factor-2 Formulations
; FILE REFERENCE: 1488.1030001
; CURRENT APPLICATION NUMBER: US/09/853,666
; PRIOR FILING DATE: 2001-05-14
; PRIOR APPLICATION NUMBER: 09/218,444
; PRIOR FILING DATE: 1998-12-22
; NUMBER OF SEQ ID NOS: 33
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 2
; LENGTH: 208
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-853-666-2

Query Match      100.0%; Score 765; DB 10; Length 208;
Best Local Similarity 100.0%; Pred. No. 2.3e-76;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
1 HVSRYNHLQGDVWRKLFSEFTKYFLKIEKNGKVSCTKRENCPSILEITSVEIGVAVKA 60
66 HVSRYNHLQGDVWRKLFSEFTKYFLKIEKNGKVSCTKRENCPSILEITSVEIGVAVKA 125
61 INSNTYLAANKKKGLYSGKEFNNDCKLERIEENGNTYASFWMOHNGROMYVALNGKA 120
126 INSNTYLAANKKKGLYSGKEFNNDCKLERIEENGNTYASFWMOHNGROMYVALNGKA 185
121 PRGQKTRRKNNTSAHFLPMVVS 143
186 PRGQKTRRKNNTSAHFLPMVVS 208
```

```
RESULT 3
US-09-750-963-4
; Sequence 4, Application US/09750963
; Patent No. US20020031805A1
; GENERAL INFORMATION:
; APPLICANT: Conklin, Darrell C.
; TITLE OF INVENTION: NOVEL FGF HOMOLOG ZFGF10
; FILE REFERENCE: 99-83
; CURRENT APPLICATION NUMBER: US/09/750,963
; PRIOR FILING DATE: 2000-12-28
; PRIOR APPLICATION NUMBER: US 60/173,578
; PRIOR FILING DATE: 1999-12-29
; NUMBER OF SEQ ID NOS: 15
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 4
; LENGTH: 208
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-750-963-4
```

```
Query Match      100.0%; Score 765; DB 10; Length 208;
Best Local Similarity 100.0%; Pred. No. 2.3e-76;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

1 HVSRYNHLQGDVWRKLFSEFTKYFLKIEKNGKVSCTKRENCPSILEITSVEIGVAVKA 60
66 HVSRYNHLQGDVWRKLFSEFTKYFLKIEKNGKVSCTKRENCPSILEITSVEIGVAVKA 125
61 INSNTYLAANKKKGLYSGKEFNNDCKLERIEENGNTYASFWMOHNGROMYVALNGKA 120
126 INSNTYLAANKKKGLYSGKEFNNDCKLERIEENGNTYASFWMOHNGROMYVALNGKA 185
121 PRGQKTRRKNNTSAHFLPMVVS 143
```

```
186 PRGQKTRRKNNTSAHFLPMVVS 208
```

```
RESULT 4
US-09-425-021-20
; Sequence 20, Application US/09425021
; Patent No. US20020076748A1
; GENERAL INFORMATION:
; APPLICANT: Greene, John M.
; APPLICANT: Rosen, Craig A.
; TITLE OF INVENTION: Fibroblast Growth Factor 15
; FILE REFERENCE: P20301
; CURRENT APPLICATION NUMBER: US/09/425,021
; PRIOR FILING DATE: 1999-10-25
; EARLIER APPLICATION NUMBER: 09/103,079
; EARLIER FILING DATE: 1998-06-23
; NUMBER OF SEQ ID NOS: 32
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 20
; LENGTH: 208
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-425-021-20
```

```
Query Match      100.0%; Score 765; DB 10; Length 208;
Best Local Similarity 100.0%; Pred. No. 2.3e-76;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

1 HVSRYNHLQGDVWRKLFSEFTKYFLKIEKNGKVSCTKRENCPSILEITSVEIGVAVKA 60
66 HVSRYNHLQGDVWRKLFSEFTKYFLKIEKNGKVSCTKRENCPSILEITSVEIGVAVKA 125
61 INSNTYLAANKKKGLYSGKEFNNDCKLERIEENGNTYASFWMOHNGROMYVALNGKA 120
126 INSNTYLAANKKKGLYSGKEFNNDCKLERIEENGNTYASFWMOHNGROMYVALNGKA 185
121 PRGQKTRRKNNTSAHFLPMVVS 143
186 PRGQKTRRKNNTSAHFLPMVVS 208
```

```
RESULT 5
US-09-925-302-586
; Sequence 586, Application US/09925302
; Patent No. US2002004941A1
; GENERAL INFORMATION:
; APPLICANT: Rosen et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins and Antibodies
; FILE REFERENCE: PA104
; CURRENT APPLICATION NUMBER: US/09/925,302
; PRIOR FILING DATE: 2001-08-10
; PRIOR APPLICATION NUMBER: PCT/US00/05918
; PRIOR FILING DATE: 2000-03-08
; PRIOR APPLICATION NUMBER: 60/124,270
; PRIOR FILING DATE: 1999-03-12
; NUMBER OF SEQ ID NOS: 896
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 586
; LENGTH: 243
; TYPE: PRT
; ORGANISM: Homo sapiens
US-09-925-302-586
```

```
Query Match      100.0%; Score 765; DB 10; Length 243;
Best Local Similarity 100.0%; Pred. No. 2.8e-76;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

1 HVSRYNHLQGDVWRKLFSEFTKYFLKIEKNGKVSCTKRENCPSILEITSVEIGVAVKA 60
101 HVSRYNHLQGDVWRKLFSEFTKYFLKIEKNGKVSCTKRENCPSILEITSVEIGVAVKA 160
61 INSNTYLAANKKKGLYSGKEFNNDCKLERIEENGNTYASFWMOHNGROMYVALNGKA 120
```

Db 161 INSRVYLAAMKKGKLYGSKFENNDCLEKRIEENGNTYASFMQHNQROMYVALNGKGA 220
QY 121 PRGGOKTRRRKNTSAHFLPMVYHS 143
Db 221 PRGGOKTRRRKNTSAHFLPMVYHS 243

RESULT 6
US-09-853-666-17
; Sequence 17, Application US/09853666
; Patent No. US20020016295A1
; GENERAL INFORMATION:
; APPLICANT: Gentz, Reiner L.
; APPLICANT: Chopra, Arvind
; APPLICANT: Kauschal, Parveen
; APPLICANT: Spitznagel, Thomas
; APPLICANT: Unsworth, Edward
; APPLICANT: Khan, Fazal

TITLE OF INVENTION: Keratinocyte Growth Factor-2 Formulations
FILE REFERENCE: 1488.1030001
CURRENT APPLICATION NUMBER: US/09/853,666
CURRENT FILING DATE: 2001-05-14
PRIOR APPLICATION NUMBER: 09/218,444
PRIOR FILING DATE: 1998-12-22
NUMBER OF SEQ ID NOS: 33
SOFTWARE: Patentln Ver. 2.0
SEQ ID NO 17
LENGTH: 141
TYPE: PRT
ORGANISM: Homo sapiens
US-09-853-666-17

Query Match 97.8%; Score 748; DB 10; Length 141;
Best Local Similarity 100.0%; Pred. No. 1e-74;
Matches 140; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 4 SYNHLGGDVRMRKLFSTKYFLKIEKNKGVSGTKKENCPSYILEITTSVEIGVAVKAINS 63
Db 2 SYNHLGGDVRMRKLFSTKYFLKIEKNKGVSGTKKENCPSYILEITTSVEIGVAVKAINS 61

QY 64 NYILAMNKKGKLYGSKFENNDCLEKRIEENGNTYASFMQHNQROMYVALNGKAPRR 123
Db 62 NYILAMNKKGKLYGSKFENNDCLEKRIEENGNTYASFMQHNQROMYVALNGKAPRR 121

QY 124 GOKTRRRKNTSAHFLPMVYHS 143
Db 122 GOKTRRRKNTSAHFLPMVYHS 141

RESULT 7
US-09-853-666-33
; Sequence 33, Application US/09853666
; Patent No. US20020016295A1
; GENERAL INFORMATION:
; APPLICANT: Gentz, Reiner L.
; APPLICANT: Chopra, Arvind
; APPLICANT: Kauschal, Parveen
; APPLICANT: Spitznagel, Thomas
; APPLICANT: Unsworth, Edward
; APPLICANT: Khan, Fazal

TITLE OF INVENTION: Keratinocyte Growth Factor-2 Formulations
FILE REFERENCE: 1488.1030001
CURRENT APPLICATION NUMBER: US/09/853,666
CURRENT FILING DATE: 2001-05-14
PRIOR APPLICATION NUMBER: 09/218,444
PRIOR FILING DATE: 1998-12-22
NUMBER OF SEQ ID NOS: 33
SOFTWARE: Patentln Ver. 2.0
SEQ ID NO 33
LENGTH: 141
TYPE: PRT
ORGANISM: Homo sapiens

US-09-853-666-33
Query Match 97.8%; Score 748; DB 10; Length 141;
Best Local Similarity 100.0%; Pred. No. 1e-74;
Matches 140; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 4 SYNHLGGDVRMRKLFSTKYFLKIEKNKGVSGTKKENCPSYILEITTSVEIGVAVKAINS 63
Db 2 SYNHLGGDVRMRKLFSTKYFLKIEKNKGVSGTKKENCPSYILEITTSVEIGVAVKAINS 61

QY 64 NYILAMNKKGKLYGSKFENNDCLEKRIEENGNTYASFMQHNQROMYVALNGKAPRR 123
Db 62 NYILAMNKKGKLYGSKFENNDCLEKRIEENGNTYASFMQHNQROMYVALNGKAPRR 121

QY 124 GOKTRRRKNTSAHFLPMVYHS 143
Db 122 GOKTRRRKNTSAHFLPMVYHS 141

RESULT 8
US-09-901-938-20
; Sequence 20, Application US/09901938
; Patent No. US20020156001A1
; GENERAL INFORMATION:
; APPLICANT: ECONS, Michael
; APPLICANT: WHITE, Kenneth
; APPLICANT: STROM, Tim
; APPLICANT: MEITINGER, Thomas

TITLE OF INVENTION: NOVEL FIBROBLAST GROWTH FACTOR (FGF23) AND METHODS FOR USE
FILE REFERENCE: 053884-5001
CURRENT APPLICATION NUMBER: US/09/901,938
CURRENT FILING DATE: 2001-07-10
PRIOR APPLICATION NUMBER: 60/219,137
PRIOR FILING DATE: 2000-07-19
NUMBER OF SEQ ID NOS: 34
SOFTWARE: Patentln version 3.0
SEQ ID NO 20
LENGTH: 135
TYPE: PRT
ORGANISM: Homo Sapiens
US-09-901-938-20

Query Match 91.6%; Score 700.5; DB 9; Length 135;
Best Local Similarity 98.5%; Pred. No. 1.5e-69;
Matches 134; Conservative 0; Mismatches 1; Indels 1; Gaps 1;

QY 8 LOGDVRMRKLFSTKYFLKIEKNKGVSGTKKENCPSYILEITTSVEIGVAVKAINS 67
Db 1 LOGDVRMRKLFSTKYFLKIEKNKGVSGTKKENCPSYILEITTSVEIGVAVKAINS 60

QY 68 AMNKKGKLYGSKFENNDCLEKRIEENGNTYASFMQHNQROMYVALNGKAPRRGOKT 127
Db 61 AMNKKGKLYGSKFENNDCLEKRIEENGNTYASFMQHNQROMYVALNGKAPRRGOKT 119

QY 128 RRRKNTSAHFLPMVYHS 143
Db 120 RRRKNTSAHFLPMVYHS 135

RESULT 9
US-09-822-485-35
; Sequence 35, Application US/09822485
; Patent No. US2002001825A1
; GENERAL INFORMATION:
; APPLICANT: Itoh, No. US20020001825A1uyuk1
; TITLE OF INVENTION: NO. US20020001825A1el Fibroblast Growth Factor-Like Polypeptid
; FILE REFERENCE: 08035.0001-01000
; CURRENT APPLICATION NUMBER: US/09/822,485
; CURRENT FILING DATE: 2001-04-02
; NUMBER OF SEQ ID NOS: 35
; SOFTWARE: Patentln Ver. 2.0
; SEQ ID NO 35
; LENGTH: 162

TYPE: PRT
ORGANISM: Mus sp.
US-09-822-485-35

Query Match
Best Local Similarity 56.9%; Score 435; DB 10; Length 162;
Matches 75; Conservative 33; Mismatches 31; Indels 0; Gaps 0;

QY 5 YNHLQGVWVRKLFSTFKYFLKIEKNKGVSTKKNPCYSILEITSVEIGVAVKAINSN 64
DB 24 YPHLEGDVWVRKLFSTFKYFLKIEKNKGVSTKKNPCYSILEITSVEIGVAVKAINSN 83
QY 65 YIYLAANKKGLKYSKEFNNDCKLKERIEENGNTYASFNMONGROMYVALNGKAPRG 124
DB 84 FYVAMNRKRLYGSRLTYVDCRFERIEENGNTYASQRMRRRQPMFLALDRGGPR 143

QY 125 QGQTRKNTSAHFLPMVY 143
DB 144 RRTRRHQLSTHFLPVLVSS 162

RESULT 10

US-09-822-485-3
Sequence 3, Application US/09822485
Patent No. US2002001825A1
GENERAL INFORMATION:
APPLICANT: Itoh, No. US2002001825A1uyuki
TITLE OF INVENTION: No. US2002001825A1el Fibroblast Growth Factor-Like Polypeptides
FILE REFERENCE: 08035.0001-01000
CURRENT APPLICATION NUMBER: US/09/822,485
CURRENT FILING DATE: 2001-04-02
NUMBER OF SEQ ID NOS: 35
SOFTWARE: Patentln Ver. 2.0
SEQ ID NO 3
LENGTH: 148
TYPE: PRT
ORGANISM: Homo sapiens
US-09-822-485-3

Query Match
Best Local Similarity 56.3%; Score 431; DB 10; Length 148;
Matches 76; Conservative 33; Mismatches 30; Indels 0; Gaps 0;

QY 3 RSYNHLQGVWVRKLFSTFKYFLKIEKNKGVSTKKNPCYSILEITSVEIGVAVKAIN 62
DB 9 RSYPHLEGDVWVRKLFSTFKYFLKIEKNKGVSTKKNPCYSILEITSVEIGVAVKAIN 68
QY 63 SNYLAANKKGLKYSKEFNNDCKLKERIEENGNTYASFNMONGROMYVALNGKAPR 122
DB 69 SGFYVAMNRKRLYGSRLTYVDCRFERIEENGNTYASQRMRRRQPMFLALDRGGPR 128
QY 123 RGQTRKNTSAHFLPMVY 141
DB 129 PGGRTRRYHLSAHFLPVLV 147

RESULT 11

US-09-822-485-2
Sequence 2, Application US/09822485
Patent No. US2002001825A1
GENERAL INFORMATION:
APPLICANT: Itoh, No. US2002001825A1uyuki
TITLE OF INVENTION: No. US2002001825A1el Fibroblast Growth Factor-Like Polypeptides
FILE REFERENCE: 08035.0001-01000
CURRENT APPLICATION NUMBER: US/09/822,485
CURRENT FILING DATE: 2001-04-02
NUMBER OF SEQ ID NOS: 35
SOFTWARE: Patentln Ver. 2.0
SEQ ID NO 2
LENGTH: 170
TYPE: PRT
ORGANISM: Homo sapiens
US-09-822-485-2

Query Match
Best Local Similarity 56.3%; Score 431; DB 10; Length 170;
Matches 76; Conservative 33; Mismatches 30; Indels 0; Gaps 0;

QY 3 RSYNHLQGVWVRKLFSTFKYFLKIEKNKGVSTKKNPCYSILEITSVEIGVAVKAIN 62
DB 31 RSYPHLEGDVWVRKLFSTFKYFLKIEKNKGVSTKKNPCYSILEITSVEIGVAVKAIN 90
QY 63 SNYLAANKKGLKYSKEFNNDCKLKERIEENGNTYASFNMONGROMYVALNGKAPR 122
DB 91 SGFYVAMNRKRLYGSRLTYVDCRFERIEENGNTYASQRMRRRQPMFLALDRGGPR 150
QY 123 RGQTRKNTSAHFLPMVY 141
DB 151 PGGRTRRYHLSAHFLPVLV 169

RESULT 12

US-09-750-963-2
Sequence 2, Application US/09750963
Patent No. US20020031805A1
GENERAL INFORMATION:
APPLICANT: Conklin, Darrell C.
TITLE OF INVENTION: NOVEL FGF HOMOLOG ZFGP10
FILE REFERENCE: 99-83
CURRENT APPLICATION NUMBER: US/09/750,963
CURRENT FILING DATE: 2000-12-28
PRIOR APPLICATION NUMBER: US 60/173,578
PRIOR FILING DATE: 1999-12-29
NUMBER OF SEQ ID NOS: 15
SOFTWARE: FastSeq for Windows Version 3.0
SEQ ID NO 2
LENGTH: 170
TYPE: PRT
ORGANISM: Homo sapiens
US-09-750-963-2

Query Match
Best Local Similarity 56.3%; Score 431; DB 10; Length 170;
Matches 76; Conservative 33; Mismatches 30; Indels 0; Gaps 0;

QY 3 RSYNHLQGVWVRKLFSTFKYFLKIEKNKGVSTKKNPCYSILEITSVEIGVAVKAIN 62
DB 31 RSYPHLEGDVWVRKLFSTFKYFLKIEKNKGVSTKKNPCYSILEITSVEIGVAVKAIN 90
QY 63 SNYLAANKKGLKYSKEFNNDCKLKERIEENGNTYASFNMONGROMYVALNGKAPR 122
DB 91 SGFYVAMNRKRLYGSRLTYVDCRFERIEENGNTYASQRMRRRQPMFLALDRGGPR 150
QY 123 RGQTRKNTSAHFLPMVY 141
DB 151 PGGRTRRYHLSAHFLPVLV 169

RESULT 13

US-10-005-646-4
Sequence 4, Application US/10005646
Patent No. US20020151496A1
GENERAL INFORMATION:
APPLICANT: BRINGMANN, PETER W.
APPLICANT: FAULDS, DARYL
APPLICANT: MITROVIC, BRANISLAVA
APPLICANT: SRINIVASAN, SUBHA
TITLE OF INVENTION: NOVEL FIBROBLAST GROWTH FACTORS
FILE REFERENCE: BERLX 87
CURRENT APPLICATION NUMBER: US/10/005,646
CURRENT FILING DATE: 2001-12-07
PRIOR APPLICATION NUMBER: 60/251,837
PRIOR FILING DATE: 2000-12-08
NUMBER OF SEQ ID NOS: 16
SOFTWARE: Patentln Ver. 2.1
SEQ ID NO 4

LENGTH: 170
TYPE: PRT
ORGANISM: Unknown Organism
FEATURE:
OTHER INFORMATION: Description of Unknown Organism: FGF-23 amino acid
US-10-005-646-4

Query Match
Best Local Similarity 56.3%; Score 431; DB 12; Length 170;
Matches 76; Conservative 33; Mismatches 30; Indels 0; Gaps 0;

QY 3 RSNHLOGDVRMRKLFSTFKYFLKIEKNGVSGTKKNCPSYLEITSVETIGVAVKAIN 62
DB 31 RSPHLEGDVRMRKLFSTFKYFLKIEKNGVSGTKKNCPSYLEITSVETIGVAVKAIN 90
QY 63 SNVYLAAMKKGKLYGSKFNNNDCKLKERIEENGNTYASFMQHNGRQMYVALNGKAPRRG 122
DB 91 SCFYVAMNRRGRLYGSRVYSDCFRERIEENGNTYASFMQHNGRQMYVALNGKAPRRG 150
QY 123 QKTRRKNTSAHFLPMVYHS 141
DB 151 PCGRTFRYHLSAHFLPLVYSS 169

RESULT 14
US-09-822-485-32
Sequence 32, Application US/09822485
Patent No. US20020001825A1
GENERAL INFORMATION:
APPLICANT: Itoh, No. US20020001825A1yuk
TITLE OF INVENTION: No. US20020001825A1el Fibroblast Growth Factor-Like Polypeptides
FILE REFERENCE: 08035.0001-0100
CURRENT APPLICATION NUMBER: US/09/822,485
NUMBER OF SEQ ID NOS: 35
SOFTWARE: Patentin Ver. 2.0
SEQ ID NO 33
LENGTH: 140
TYPE: PRT
ORGANISM: Mus sp.
US-09-822-485-33

Query Match
Best Local Similarity 56.2%; Score 430; DB 10; Length 140;
Matches 74; Conservative 34; Mismatches 31; Indels 0; Gaps 0;

QY 5 YNHLOGDVRMRKLFSTFKYFLKIEKNGVSGTKKNCPSYLEITSVETIGVAVKAINSN 64
DB 2 YPHLEGDVRMRKLFSTFKYFLKIEKNGVSGTKKNCPSYLEITSVETIGVAVKAINSG 61
QY 65 YLAAMKKGKLYGSKFNNNDCKLKERIEENGNTYASFMQHNGRQMYVALNGKAPRRG 124
DB 62 FYVAMNRRGRLYGSRVYSDCFRERIEENGNTYASFMQHNGRQMYVALNGKAPRRG 121
QY 125 QKTRRKNTSAHFLPMVYHS 143
DB 122 RTRRRHQLSTHFLPLVYSS 140

RESULT 15
US-09-822-485-32
Sequence 32, Application US/09822485
Patent No. US20020001825A1
GENERAL INFORMATION:
APPLICANT: Itoh, No. US20020001825A1yuk
TITLE OF INVENTION: No. US20020001825A1el Fibroblast Growth Factor-Like Polypeptides
FILE REFERENCE: 08035.0001-0100
CURRENT APPLICATION NUMBER: US/09/822,485
NUMBER OF SEQ ID NOS: 35
SOFTWARE: Patentin Ver. 2.0
SEQ ID NO 32

LENGTH: 162
TYPE: PRT
ORGANISM: Mus sp.
US-09-822-485-32

Query Match
Best Local Similarity 56.2%; Score 430; DB 10; Length 162;
Matches 74; Conservative 34; Mismatches 31; Indels 0; Gaps 0;

QY 5 YNHLOGDVRMRKLFSTFKYFLKIEKNGVSGTKKNCPSYLEITSVETIGVAVKAINSN 64
DB 24 YPHLEGDVRMRKLFSTFKYFLKIEKNGVSGTKKNCPSYLEITSVETIGVAVKAINSG 83
QY 65 YLAAMKKGKLYGSKFNNNDCKLKERIEENGNTYASFMQHNGRQMYVALNGKAPRRG 124
DB 84 FYVAMNRRGRLYGSRVYSDCFRERIEENGNTYASFMQHNGRQMYVALNGKAPRRG 143
QY 125 QKTRRKNTSAHFLPMVYHS 143
DB 144 RTRRRHQLSTHFLPLVYSS 162

Search completed: November 18, 2002, 16:11:08
Job time : 11 secs



GenCore version 5.1.3
Copyright (c) 1993 - 2002 Compugen Ltd.

OM protein - protein search, using sw model

Run on: November 18, 2002, 16:05:52 ; Search time 17 Seconds

(without alignments)
808.660 Million cell updates/sec

Title: US-09-284-100A-2_COPY_66_208

Perfect score: 765

Sequence: 1 HVRSYNHLDGVRKRRKLFSE.....GCKTRKNTSAHFLPMVYHS 143

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 283224 seqs, 96134422 residues

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database : PIR,PIR1:*

1: PIR1:*

2: PIR2:*

3: PIR3:*

4: PIR4:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	429.5	56.1	194	2	S49501
2	427.5	55.9	194	1	A36301
3	424.5	55.5	194	2	I48610
4	420.5	55.0	194	2	S26049
5	369	48.2	256	2	JC4627
6	363	47.5	220	2	I50588
7	358	46.8	237	1	S39582
8	352.5	46.1	245	1	TVWST2
9	341.5	44.6	239	1	S04742
10	326	42.6	208	2	S66486
11	326	42.6	208	2	A48137
12	319	41.7	207	2	JC5941
13	315	41.2	207	2	JC5940
14	304	39.7	208	2	JC7082
15	303	39.6	211	2	JC7353
16	302	39.5	212	2	JC7511
17	301	39.3	97	2	B46289
18	297	38.8	98	2	C46289
19	269	35.2	96	2	D46289
20	265.5	34.7	267	1	TVHUF5
21	262.5	34.3	264	2	A36207
22	262.5	34.3	266	2	S68144
23	249.5	32.6	192	2	S54407
24	248.5	32.5	187	2	S23595
25	241.5	31.6	208	2	S14192
26	239.5	31.3	208	2	S21012
27	239	30.9	168	2	JG0184
28	236.5	30.9	194	2	I50710
29	203	26.5	146	1	S00185

30	203	26.5	154	2	A31674	basic fibroblast g
31	203	26.5	154	2	C37360	basic fibroblast g
32	203	26.5	157	1	GKBOB	basic fibroblast g
33	203	26.5	210	2	A32398	basic fibroblast g
34	202	26.4	155	1	A33665	acidic fibroblast
35	201	26.3	413	2	H88481	protein let-756 (1
36	200	26.1	155	2	S04147	acidic fibroblast
37	200	26.1	155	2	D37360	acidic fibroblast
38	198	25.9	155	1	A60721	acidic fibroblast
39	198	25.9	164	2	S31622	acidic fibroblast g
40	197	25.8	152	2	GKBOA	acidic fibroblast
41	196	25.6	152	2	JH0476	acidic fibroblast
42	196	25.6	155	2	JM0055	acidic fibroblast
43	195.5	25.6	206	1	TVHUS	acidic fibroblast
44	195	25.5	189	2	A48834	basic fibroblast g
45	194	25.4	155	2	A60130	acidic fibroblast

ALIGNMENTS

RESULT 1

S49501

keratinocyte growth factor - sheep

C:Species: Ovis orientalis aries, Ovis ammon aries (domestic sheep)

C:Date: 20-Feb-1995 #sequence revision 20-Feb-1995 #text change 16-Jun-1999

C:Accession: S49501

R: Mitchell, J.E.A.; McInnes, C.J.

Submitted to the EMBL Data Library, October 1994

A:Reference number: S49501

A:Accession: S49501

A:Status: preliminary

A:Molecule type: DNA

A:Residues: 1-194 <MIT>

A:Cross-references: EMBL:Z46236; NID:9559503; PID:CAA86306.1; PID:9559504

C:Superfamily: fibroblast growth factor

Query Match 56.1%; Score 429.5; DB 2; Length 194;

Best Local Similarity 54.2%; Pred. No. 2.1e-33;

Matches 77; Conservative 30; Mismatches 34; Indels 1; Gaps 1;

QY	1	HVRSYNHLDGVRKRRKLFSTFKYFKIEKNGKYSGRKKECPYSILEITSVEIGVAVK	59
DB	52	HTRSYDMEGDIVRRLFCRTQWLRIDKRGKVGQEMKNNYIMEIRTVAVGIVAK	111
QY	60	AINSYVYIAMKKGKLYGSKFNNDCIKERIEENGYTYASFNMQHNGROMYALNGK	119
DB	112	GVESYTYIAMKKEGKLYAKKCNEDCNKELLLENHNTYASAKYTHSGGEMFVALNSK	171
QY	120	APRRGCKTRRNTSAHFLPMVY	141
DB	172	VPVRGKTKRKKEKTAHFLPMAL	193

RESULT 2

A36301 fibroblast growth factor 7 precursor [validated] - human

N:Alternate names: keratinocyte growth factor

C:Species: Homo sapiens (man)

C:Date: 28-Mar-1991 #sequence revision 07-Jul-1995 #text change 08-Dec-2000

C:Accession: A36301; A31453; A46289; I51958

R: Finch, P.W.; Rubin, J.S.; Miki, T.; Ron, D.; Aaronson, S.A.

Science 245, 752-755, 1989

A:Title: Human KGF is FGF-related with properties of a paracrine effector of epithelial

A:Reference number: A36301; PMID:89368897; PMID:2475908

A:Accession: A36301

A:Molecule type: mRNA

A:Residues: 1-194 <FTN>

A:Cross-references: GB:M60828; NID:q186738; PIDN:AAA63210.1; PID:q186739; GB:M25295

R: Rubin, J.S.; Osada, H.; Finch, P.W.; Taylor, W.G.; Rudikoff, S.; Aaronson, S.A.

Proc. Natl. Acad. Sci. U.S.A. 86, 802-806, 1989

A:Title: Purification and characterization of a newly identified growth factor specif

A:Reference number: A31453; MUID:89128865; PMID:2915979
A:Accession: A31453
A:Molecule type: protein
A:Residues: 7'..33-44 <RUB>
A:Experimental source: embryonic lung cell fibroblast line M426
R:Kelley, M.J.; Peck, M.; Senanayake, H.N.; Rubin, J.S.; O'Brien, S.J.; Aaronson, S.A.
Proc. Natl. Acad. Sci. U.S.A. 89, 9287-9291, 1992
A>Title: Emergence of the keratinocyte growth factor multigene family during the great
A:Reference number: A46289; MUID:93028449; PMID:1409637
A:Accession: A46289
A:Molecule type: DNA
A:Residues: 97-194 <KEU>
A>Note: sequence extracted from NCBI backbone (NCBIN:115887, NCBPB:115889)
R:Aaronson, S.A.; Bottaro, D.P.; Miki, T.; Ron, D.; Finch, P.W.; Fleming, T.P.; Ahn, J.
Ann. N. Y. Acad. Sci. 638, 62-77, 1991
A>Title: Keratinocyte growth factor: A fibroblast growth factor family member with unusual
A:Reference number: I51958; MUID:92152720; PMID:1664700
A:Accession: I51958
A>Status: translated from GB/EMBL/DDBJ
A:Molecule type: mRNA
A:Residues: 1-194 <AAR>
A:Cross-references: GB:S81661; NID:g245438; PIDN:AAB21431.1; PID:g245439
C:Genetics:
A:Gene: GDB:FGF7
A:Cross-references: GDB:I31444; OMIM:148180
A:Map position: 15q13-15q22
A>Note: the human genome contains about 16, intron-containing, partial copies of this gene
C:Superfamily: fibroblast growth factor
C:Keywords: extracellular protein; growth factor; heparin binding; mitogen
F:1-31/Domains: signal sequence #status predicted <SIG>
F:32-194/Product: fibroblast growth factor 7 #status experimental <MAT>

Query Match 55.9%; Score 427.5; DB 1; Length 194;
Best Local Similarity 54.2%; Pred. No. 6.3e-33;
Matches 77; Conservative 30; Mismatches 34; Indels 1; Gaps 1;

OY 1 HVRSYNHIO-GDVVRMRKLFSEFTKYFLKTEKNKGYSGKKEKCPYSILETSVEIGVAVK 59
| | | | | : | | | | | : | | | | | : | | | | | : | | | | | : | | | | |
Db 52 HTRSDVWEGDIDRKRLFCRTQWLIRIDKRKKAGTDEMKNNNTINMEIRTVAAIGVAIK 111
| | | | | : | | | | | : | | | | | : | | | | | : | | | | | : | | | | |

OY 60 AINSNYIAMNKKGKLVSKEPNNDCKIERIEENGVTVA SFPMOHNGROMYVALNKG 119
| | | | | : | | | | | : | | | | | : | | | | | : | | | | | : | | | | |
Db 112 GVSESFYIAMNKEGLYAKKCEKDNECNFKELLENHYNTVASARKWTBNHGCMFAVALNKG 171
| | | | | : | | | | | : | | | | | : | | | | | : | | | | | : | | | | |

OY 120 APPRGOKTRRNKTSANHLPMNV 141
| | | | | : | | | | | : | | | | | : | | | | | : | | | | | : | | | | |
Db 172 IPVGCKTKTKEQTAHFLPMAI 193
| | | | | : | | | | | : | | | | | : | | | | | : | | | | | : | | | | |

RESULT 3
148610
keratinocyte growth factor Fgf-7 - mouse
C:Species: Mus musculus (house mouse)
C>Date: 02-Jul-1996 #sequence_revision 02-Jul-1996 #text_change 16-Jul-1999
A:Accession: I48610; S33227
R:Masou, I.J.; Fuller-Pace, F.; Smith, R.; Dickson, C.
Mech. Dev. 45, 15-30, 1994
A>Title: FGF-7 (keratinocyte growth factor) expression during mouse development suggests
A:Reference number: I48610; MUID:94242659; PMID:8186145
A:Accession: I48610
A>Status: preliminary; translated from GB/EMBL/DDBJ
A:Molecule type: mRNA
A:Residues: 1-194 <RBS>
A:Cross-references: EMBL:D22703; NID:g297755; PIDN:CAA80403.1; PID:g297756
C:Superfamily: fibroblast growth factor

Query Match 55.5%; Score 424.5; DB 2; Length 194;
Best Local Similarity 53.5%; Pred. No. 6.3e-33;
Matches 76; Conservative 31; Mismatches 34; Indels 1; Caps 1;

OY 1 HVRSYNHIO-GDVVRMRKLFSEFTKYFLKTEKNKGYSGKKEKCPYSILETSVEIGVAVK 59
| | | | | : | | | | | : | | | | | : | | | | | : | | | | | : | | | | |
Db 52 HTRSDVWEGDIDRKRLFCRTQWLIRIDKRKKAGTDEMKNNNTINMEIRTVAAIGVAIK 111

```

OY      60  AINSYVYLAAMNKKGLYKSGKEFNNDCKLERLEENGVTYTSFPMOHNGROMYALANNGK  119
          | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
DB      112  GVESEYVLAAMNKEGLVYAKKECDNCKNELLENHYNTVASAKWTHSGGEMFALANNGK  171

OY      120  APRRGOKTRRKNTSAHFLPMNV  141
          | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
DB      172  LPVKGKTKRKQKTAHFLPMAI  193

RESULT 4
S26049
fibroblast growth factor 7 precursor - rat
N:Alternate names: keratinocyte growth factor
C:Species: Rattus norvegicus (Norway rat)
C:Date: 19-Mar-1998 #sequence_revision 16-Mar-1998 #text_change 16-Jul-1999
C:Accession: S26049; S78446
R:Ryan, G.; Nikolopoulos, S.; Wang, F.; McKeehan, W.L.
In Vitro Cell. Dev. Biol. 27, 437-438, 1991
A:Title: Sequence of rat keratinocyte growth factor (heparin-binding growth factor ty
A:Accession: S26049
A:Molecule type: mRNA
A:Residues: 1-194 <YAN>
A:Cross-references: EMBL:X56551
submitted to the EMBL Data Library, February 1991
A:Reference number: S78446
A:Accession: S78446
A:Molecule type: mRNA
A:Residues: 1-16, 'P', 18-100, 'M', 102-123, 'Q', 125-150, 'S', 152-194 <YAN>
A:Cross-references: EMBL:X56551; MID:956707; PIDN:CA53892.1; PID:956708
C:Superfamily: fibroblast growth factor
C:Keywords: extracellular protein; growth factor; heparin binding; mitogen
F:31/Domain: signal sequence #status predicted <SIG>
F:32-194/Product: fibroblast growth factor 7 #status predicted <MAT>

Query Match      55.0%; Score 420.5; DB 2; Length 194;
Best Local Similarity 52.8%; Pred. No. 1.5e-32;
Matches 75; Conservative 32; Mismatches 34; Indels 1; Gaps 1;

OY      1  HVRSVNHLO-GDVHWRKLFPSFKYFLKLEKNGKVGSGTKKENCPSYLEITSVEIGVAVK  59
          | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
DB      52  HTRSDVMEGGDIRRRLFCRTQWYLRIDRKGKVGKGTDEMNSINIMKTRIVAYIAIK  111

OY      60  AINSYVYLAAMNKKGLYKSGKEFNNDCKLERLEENGVTYTSFPMOHNGROMYALANNGK  119
          | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
DB      112  GVESEYVLAAMNKEGLVYAKKECDNCKNELLENHYNTVASAKWTHSGGEMFALANNGK  171

OY      120  APRRGOKTRRKNTSAHFLPMNV  141
          | : | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
DB      172  LPVKGKTKRKQKTAHFLPMAI  193

RESULT 5
JC4627
fibroblast growth factor 3 - zebra fish
C:Species: Brachydanio rerio (zebra fish)
C:Date: 10-May-1996 #sequence_revision 19-Jul-1996 #text_change 16-Jul-1999
C:Accession: JC4627
R:Klefer, P.; Strehle, U.; Dickson, C.
Gene 168, 211-215, 1996
A:Title: The zebrafish Fgf-3 gene: cDNA sequence, transcript structure and genomic or
A:Reference number: JC4627; MUID:96194899; PMID:8654946
A:Accession: JC4627
A:Molecule type: mRNA
A:Residues: 1-256 <KTE>
A:Cross-references: EMBL:Z48714; MID:9971333; PIDN:CA88596.1; PID:9971334
A:Note: The authors translated the codon TGG for residue 178 as His
C:Comment: This factor belongs to the fibroblast growth factor family which have the
tein as a cell signalling molecule and plays the roles during the early stages of de
C:Genetics:

```


QY	123	RGQTRRKNTSAHFLPMV	141
		: :	
Db	173	EGYRTKRHOKTFHFLPRV	191

RESULT 13

fibroblast growth factor 16 - rat
C.Species: Rattus norvegicus (Norway rat)
C.Date: 16-Jul-1999 #sequence.revision 16-Jul-1999 #text.change 21-Jul-2000
C.Accession: J05940
R.Miyake, A.; Konishi, M.; Martin, F.H.; Hernday, N.A.; Ozaki, K.; Yamamoto, S.; Mikami,
Biochem. Biophys. Res. Commun. 243, 148-152, 1998
A.Title: Structure and expression of a novel member, EGF-16, of the fibroblast growth factor
A.Reference number: J05940; MUID:98139883; PMID:9473496
A.Accession: J05940
A.Status: preliminary
Molecule type: DNA
A.Residues: 1-207 <MT>
Cross-references: DDBJ:AB002561; NID:g2911149; PIDD:BAA24947.1; PID:g2911150
Superfamily: fibroblast growth factor

Query Match	41.2%	Score 315;	DB 2;	Length 207;
Best Local Similarity	42.4%	Pred. No. 1.6e-22;		
Matches	59;	Conservative	34;	Mismatches 44;
				Indels 2;
				Gaps 1;

[illegible]

RESULT 14

JC7082
fibroblast somatotropin-20 - African clawed frog
N:Alternate names: fibroblast growth factor-20
C:Species: Xenopus laevis (African clawed frog)
C:Date: 03-Dec-1999 #sequence_revision 03-Dec-1999 #text_change 21-Jul-2000
C:Accession: JC7082
R:koga, C.; Adati, N.; Nakata, K.; Miroshiba, K.; Furuhashi, Y.; Sato, S.; Tei, H.; Sakai,
Biochem. Biophys. Res. Commun. 261,756-765, 1999
Abstract: Characterization of a novel member of the RGF family, xRGF-20, in Xenopus laevis.
Reference number: JC7082; MUID:99373151; PMID:10441498
Accession: JC7082

Query Match	39.7%	Score 304	DB 2	Length 208
Best Local Similarity	42.0%	Pred. No. 1.8e-21		
Matches 58	Conservative 35	Mismatches 43	Indels 2	Gaps 1

[illegible]

RESULT 15
JC7353

C:Date: 08-Sep-2000 #sequence_revision 08-Sep-2000 #text_change 01-Dec-2000
C:Accession: JC7353
R:Kitikoshi, H.; Sagara, N.; Saitoh, T.; Tanaka, K.; Sekihara, H.; Shikawa, K.; Kato
Biochem. Biophys. Res. Commun. 274, 337-343, 2000
A:Title: Molecular cloning and characterization of human FGF-20 on chromosome 8p21.3-
A:Reference number: JC7353

A:Accession: JG/353
A:Molecule type: mRNA
A:Residues: 1-211 <R1>
A:Cross-references: DDBJ:AB044277
C:Comment: This factor is involved in physiological and pathological processes, play
C:Genetics:
A:Gene: fgf-20
A:Map position: 8p21.3-8p22
C:Superfamily: fibroblast growth factor
C:Keywords: angiogenesis; carcinogenesis

Query Match	39.6%;	Score 303;	DB 2;	Length 211;
Best Local Similarity	42.3%;	Pred. No. 2.3e-21;		
Matches 58;	Conservative 33;	Mismatches 44;	Indels 2;	Gaps 1

[illegible]

Search completed: November 18, 2002, 16:08:08
Job time : 18 secs



GenCore version 5.1.3
Copyright (c) 1993 - 2002 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: November 18, 2002, 15:58:17 ; Search time 12 Seconds

(without alignments)
494.260 Million cell updates/sec

Title: US-09-284-100a-2_COPY_66_208

Perfect score: 765
Sequence: 1 HVRSTYNNHLOGDVRMRKLFSE.....GQTRKRNPSAHFLPMVYHS 143

Scoring table: BLOSUM62
Gapop 10.0 , Gapext 0.5

Searched: 112892 seqs, 41476328 residues

Minimum number of hits satisfying chosen parameters: 112892

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%

Listing first 45 summaries

Database : SwissProt_40.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	765	100.0	208	1	FGFA_HUMAN
2	765	100.0	208	1	FGFA_HUMAN
3	729	95.3	209	1	FGFA_MOUSE
4	435	56.9	162	1	FGFM_MOUSE
5	431	56.3	170	1	FGFM_HUMAN
6	429.5	56.1	194	1	FGF7_SHEEP
7	428.5	56.0	194	1	FGF7_CANFA
8	427.5	55.9	194	1	FGF7_HUMAN
9	424.5	55.5	194	1	FGF7_MOUSE
10	418.5	54.7	194	1	FGF7_MOUSE
11	411.5	53.8	194	1	FGF7_PIG
12	369	48.2	256	1	FGF3_BRARE
13	363	47.5	220	1	FGF3_CHICK
14	358	46.8	237	1	FGF3_XENLA
15	352.5	46.1	245	1	FGF3_MOUSE
16	341.5	44.6	239	1	FGF3_HUMAN
17	336	42.6	208	1	FGF9_HUMAN
18	336	42.6	208	1	FGF9_MOUSE
19	336	42.6	208	1	FGF9_RAT
20	319	41.7	207	1	FGF9_HUMAN
21	315	41.2	207	1	FGF9_RAT
22	309	40.4	209	1	FGF9_RAT
23	303	39.6	211	1	FGF9_XENLA
24	265.5	34.7	268	1	FGF5_HUMAN
25	262.5	34.3	264	1	FGF5_MOUSE
26	262.5	34.3	266	1	FGF5_RAT
27	249.5	32.6	192	1	FGFR_XENLA
28	248.5	32.5	187	1	FGFR_XENLA
29	248	32.4	245	1	FGFD_MOUSE
30	245	32.0	245	1	FGFD_MOUSE
31	241.5	31.6	245	1	FGF6_HUMAN
32	241	31.5	243	1	FGF6_MOUSE
33	239.5	31.3	208	1	FGF6_HUMAN

34	236.5	30.9	194	1	FGF4_CHICK	P4804_gallus_gall
35	214	28.0	247	1	FGFE_HUMAN	O92915_homo_sapien
36	213	27.8	247	1	FGFE_MOUSE	P70379_mus_musculu
37	204	26.7	225	1	FGFB_HUMAN	O92914_homo_sapien
38	203	26.5	154	1	FGF2_MOUSE	P15653_mus_musculu
39	203	26.5	154	1	FGF2_RAT	P13109_rattus_norv
40	203	26.5	155	1	FGF2_BOVIN	P03969_bos_taurus
41	203	26.5	155	1	FGF2_HUMAN	P09038_homo_sapien
42	203	26.5	155	1	FGF2_SHEEP	P20003_ovis_aries
43	202	26.4	155	1	FGF2_HUMAN	P05230_homo_sapien
44	201	26.3	225	1	FGFB_MOUSE	P70378_mus_musculu
45	201	26.3	425	1	L756_CAERL	Q1184_caenorhabdi

ALIGNMENTS

RESULT 1	FGFA_HUMAN	STANDARD:	PRT:	208 AA.
ID	FGFA_HUMAN			
AC	O15520:			
DT	15-JUL-1999 (Rel. 38, Created)			
DT	15-JUL-1999 (Rel. 38, Last sequence update)			
DT	16-OCT-2001 (Rel. 40, Last annotation update)			
DE	Fibroblast growth factor-10 precursor (FGF-10) (Keratinocyte growth factor 2).			
GN	FGF10.			
OS	Homo sapiens (Human).			
OC	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;			
OC	Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.			
OX	NCBI_TaxID=9606;			
ON	[1]			
RP	SEQUENCE FROM N.A.			
RC	TISSUE=Lung;			
RX	MEDLINE=97435285; PubMed=9287324;			
RA	Emoto H., Tagashira S., Mattei M.-G., Yamasaki M., Hashimoto G.,			
RA	Katsunata T., Negro T., Nakatsuka M., Birnbaum D., Coulier F.,			
RA	Itoh N.;			
RT	*Structure and expression of human fibroblast growth factor-10.*;			
RL	J. Biol. Chem. 272:23191-23194(1997).			
RN	[2]			
RP	SEQUENCE FROM N.A.			
RC	TISSUE=Lung;			
RA	Jinenez P.A., Gruber J.R., Liu B., Feng P., Florence C., Blunt A.,			
RA	Huddleston K.A., Teliska M., Alfonso P., Coleman T.A., Ornitz D.M.,			
RA	Dillon P.A., Dunn R.D.;			
RT	*Cutaneous wound healing by keratinocyte growth factor 2.*;			
RL	Submitted (JUL-1997) to the EMBL/GenBank/DBJ databases.			
CC	-!- FUNCTION: COULD BE A GROWTH FACTOR ACTIVE IN THE PROCESS OF WOUND			
CC	HEALING. ACTS AS A MITOGEN IN THE LUNG. MAY ACT IN A MANNER			
CC	SIMILAR TO FGF-7.			
CC	-!- SUBCELLULAR LOCATION: Secreted (Potential).			
CC	-!- SIMILARITY: BELONGS TO THE HEPARIN-BINDING GROWTH FACTORS FAMILY.			
CC	-----			
CC	This SWISS-PROT entry is copyright. It is produced through a collaboration			
CC	between the Swiss Institute of Bioinformatics and the EMBL outstation -			
CC	the European Bioinformatics Institute. There are no restrictions on its			
CC	use by non-profit institutions as long as its content is in no way			
CC	modified and this statement is not removed. Usage by and for commercial			
CC	entities requires a license agreement (See http://www.isb-sib.ch/announce/			
CC	or send an email to license@isb-sib.ch).			
CC	-----			
DR	EMBL; AB002097; BAA22331.1; -			
DR	EMBL; U67918; AAB61991.1; -			
DR	HSSP; P31371; 1682.			
DR	Genev; HGNC:3666; FGF10.			
DR	MIM; 602115; -			
DR	InterPro; IPR002209; HB/F-growthfact.			
DR	InterPro; IPR002348; IL1_HBGF.			
DR	Pfam; PF00167; FGF_1.			
DR	PRINTS; PR00262; IL1HBGF.			
DR	Prodom; PD000831; HB/F-growthfact; 1.			
DR	SMART; SM00442; FGF_1.			

DR PROSITE; PS00247; HBGF_FGF; 1.
 KW Growth factor: Glycoprotein; Signal.
 FT SIGNAL 1 37 POTENTIAL.
 FT CHAIN 38 208 FIBROBLAST GROWTH FACTOR-10.
 FT DOMAIN 52 62 POLY-SER.
 FT CARBOHYD 51 51 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 196 196 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SO SEQUENCE 208 AA; 23436 MW; C0A0705C108680B3 CRC64;

Query Match Best local Similarity 100.0%; Score 765; DB 1; Length 208;
 Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVASYNHLOGDVVRKRLFSFTKFLKIEKNKGVSGTKKNCPSILETTSVEIGVAVKA 60
 DB 66 HVASYNHLOGDVVRKRLFSFTKFLKIEKNKGVSGTKKNCPSILETTSVEIGVAVKA 125
 QY 61 INSNYVLAMNKKKGLYSGKEFNNDCKLKERIEENGNTYASFMWQHNGROMYVALNGKA 120
 DB 126 INSNYVLAMNKKKGLYSGKEFNNDCKLKERIEENGNTYASFMWQHNGROMYVALNGKA 185
 QY 121 PRGQKTRKNTSAHFLPMVVS 143
 DB 186 PRGQKTRKNTSAHFLPMVVS 208

RESULT 2

FGFA_RAT STANDARD; PRT; 215 AA.

ID FGFA_RAT
 AC P70492;
 DT 15-JUL-1999 (Rel. 38, Created)
 DT 15-JUL-1999 (Rel. 38, Last sequence update)
 DT 16-OCT-2001 (Rel. 40, Last annotation update)
 DE Fibroblast growth factor-10 precursor (FGF-10).
 GN FGF10.
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=WiStar;
 RX MEDLINE=96279129; PubMed=8663172;
 RA Yamasaki M., Miyake A., Tagashira S., Itoh N.;
 RT "Structure and expression of the rat mRNA encoding a novel member of
 the fibroblast growth factor family.";
 RL J. Biol. Chem. 271:15918-15921(1996).
 CC -1- FUNCTION: COULD BE A GROWTH FACTOR ACTIVE IN THE PROCESS OF WOUND
 HEALING. ACTS AS A MITOGEN IN THE LUNG. MAY ACT IN A MANNER
 SIMILAR TO FGF-7.
 CC -1- SUBCELLULAR LOCATION: Secreted (Potential).
 CC -1- TISSUE SPECIFICITY: PREFERENTIALLY EXPRESSED IN THE LUNG IN
 ADULTS.
 CC -1- SIMILARITY: BELONGS TO THE HEPARIN-BINDING GROWTH FACTORS FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).

DR EMBL; D79215; BAA11468.1; -;
 DR HSSP; P31371; IG82.
 DR InterPro: IPR002209; HB/F_growthfact.
 DR InterPro: IPR002348; IIL_HBGF.
 DR Pfam: PF00167; FGF; 1.
 DR PRINTS; PR00262; IILHBGF.
 DR ProDom; PD000831; HB/F_growthfact; 1.
 DR SMART; SM00442; FGF; 1.
 DR PROSITE; PS00247; HBGF_FGF; 1.
 KW Growth factor; Glycoprotein; Signal.

FT SIGNAL 1 36 POTENTIAL.
 FT CHAIN 37 215 FIBROBLAST GROWTH FACTOR-10.
 FT DOMAIN 51 69 POLY-SER.
 FT CARBOHYD 50 50 N-LINKED (GLCNAC. . .) (POTENTIAL).
 FT CARBOHYD 203 203 N-LINKED (GLCNAC. . .) (POTENTIAL).
 SO SEQUENCE 215 AA; 24029 MW; 93778EF6FC0860A CRC64;

Query Match Best local Similarity 100.0%; Score 765; DB 1; Length 215;
 Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVASYNHLOGDVVRKRLFSFTKFLKIEKNKGVSGTKKNCPSILETTSVEIGVAVKA 60
 DB 73 HVASYNHLOGDVVRKRLFSFTKFLKIEKNKGVSGTKKNCPSILETTSVEIGVAVKA 132
 QY 61 INSNYVLAMNKKKGLYSGKEFNNDCKLKERIEENGNTYASFMWQHNGROMYVALNGKA 120
 DB 133 INSNYVLAMNKKKGLYSGKEFNNDCKLKERIEENGNTYASFMWQHNGROMYVALNGKA 192
 QY 121 PRGQKTRKNTSAHFLPMVVS 143
 DB 193 PRGQKTRKNTSAHFLPMVVS 215

RESULT 3

FGFA_MOUSE STANDARD; PRT; 209 AA.

ID FGFA_MOUSE
 AC O35565;
 DT 15-JUL-1999 (Rel. 38, Created)
 DT 15-JUL-1999 (Rel. 38, Last sequence update)
 DT 16-OCT-2001 (Rel. 40, Last annotation update)
 DE Fibroblast growth factor-10 precursor (FGF-10) (keratinocyte growth
 factor 2).
 GN FGF10.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=97473538; PubMed=9332392;
 RA Tagashira S., Harada H., Katsumata T., Itoh N., Nakatsuka M.;
 RT "Cloning of mouse FGF10 and up-regulation of its gene expression
 during wound healing.";
 RL Gene 197:399-404(1997).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Lung;
 RA Duan D.R., Florence C.;
 RL Submitted (MAR-1997) to the EMBL/GenBank/DBJ databases.
 CC -1- FUNCTION: COULD BE A GROWTH FACTOR ACTIVE IN THE PROCESS OF WOUND
 HEALING. ACTS AS A MITOGEN IN THE LUNG. MAY ACT IN A MANNER
 SIMILAR TO FGF-7.
 CC -1- SUBCELLULAR LOCATION: Secreted (Potential).
 CC -1- TISSUE SPECIFICITY: EXPRESSED ABUNDANTLY IN EMBRYOS AND THE LUNG,
 AND AT MUCH LOWER LEVELS IN BRAIN AND HEART.
 CC -1- SIMILARITY: BELONGS TO THE HEPARIN-BINDING GROWTH FACTORS FAMILY.
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 between the Swiss Institute of Bioinformatics and the EMBL outstation -
 the European Bioinformatics Institute. There are no restrictions on its
 use by non-profit institutions as long as its content is in no way
 modified and this statement is not removed. Usage by and for commercial
 entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 or send an email to license@isb-sib.ch).

DR EMBL; D89080; BAA22836.1; -;
 DR HSSP; U94517; AAD00761.1; -;
 DR InterPro: IPR002209; HB/F_growthfact.
 DR InterPro: IPR002348; IIL_HBGF.
 DR Pfam; PF00167; FGF; 1.

DR PRINTS: PR00262; ILIHBGF.
DR Prodom: PD000831; HB/F-growthfact: 1.
DR SMART; SM00442; FGF; 1.
DR PROSITE; PS00247; HBGF_FGF; 1.
KW Growth factor; Glycoprotein; Signal.
FT SIGNAL 1 36
FT CHAIN 37 209
FT DOMAIN 52 63
FT CAROHD 50 50
FT CAROHD 197 197
SQ SEQUENCE 209 AA; 23597 MW; 7FD22227BF4943CC CIG64;
Query Match
Best Local Similarity 95.3%; Score 729; DB 1; Length 209;
Matches 134; Conservative 5; Mismatches 4; Indels 0; Gaps 0;
QY 1 HVRSYHLDGVRRMRKLEFSTKRYFLKIEKNGKVGSTKKNCPYSILETTSVEIGVAVKA 60
DB 67 HVRSYHLDGVRRMRKLEFSTKRYFLKIEKNGKVGSTKKNCPYSILETTSVEIGVAVKA 126
61 INSNTYLLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKGA 120
DB 127 INSNTYLLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKGA 186
QY 121 PRGOKTRKNTSAHFLPMVYHS 143
DB 187 PRGOKTRKNTSAHFLPMVYHS 209
RESULT 4
FGFM_MOUSE
ID FGFM_MOUSE STANDARD; PRT; 162 AA.
AC Q9ESS2;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 16-OCT-2001 (Rel. 40, Last annotation update)
DE Fibroblast growth factor-22 precursor (FGF-22).
GN FGF22.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Cranialata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE-21240339; PubMed-11342227;
RA Nakatake Y., Hoshikawa M., Asaki T., Kassai Y., Itoh N.;
RT "Identification of a novel fibroblast growth factor, FGF-22,
preferentially expressed in the inner root sheath of the hair
follicle."
RL Biochim. Biophys. Acta 1517:460-463(2001).
CC -1- FUNCTION: MAY BE INVOLVED IN HAIR DEVELOPMENT.
CC -1- SUBCELLULAR LOCATION: Secreted (Potential).
CC -1- TISSUE SPECIFICITY: PREPARENTIAL EXPRESSED IN SKIN. LOW EXPRESSION
CC IN BRAIN. EXPRESSED IN THE INNER ROOT SHEATH OF THE HAIR FOLLICLE.
CC -1- SIMILARITY: BELONGS TO THE HEPARIN-BINDING GROWTH FACTORS FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC EMBL; AB036765; BAB16407.1; -
DR HSSP; P31371; IG82.
DR MGD; MGI:1914362; Fgf22.
DR InterPro; IPR002209; HB/F-growthfact.
DR InterPro; IPR002348; ILI-HBGF.
DR Ptm; PF00167; FGF; 1.
DR PRINTS; PR00262; ILIHBGF.
DR Prodom; PD000831; HB/F-growthfact: 1.
DR SMART; SM00442; FGF; 1.

DR PROSITE; PS00247; HBGF_FGF; 1.
KW Growth factor; Signal.
FT SIGNAL 1 22
FT CHAIN 23 162
FT CHAIN 162 162
SQ SEQUENCE 162 AA; 18927 MW; 225E512F4E1B29 CRC64;
Query Match
Best Local Similarity 56.9%; Score 435; DB 1; Length 162;
Matches 75; Conservative 33; Mismatches 31; Indels 0; Gaps 0;
QY 5 YNHLQGVRRMRKLEFSTKRYFLKIEKNGKVGSTKKNCPYSILETTSVEIGVAVKA 64
DB 24 YNHLQGVRRMRKLEFSTKRYFLKIEKNGKVGSTKKNCPYSILETTSVEIGVAVKA 83
QY 65 YLLAMNKKGLYSGKEFNNDCKLERIEENGNTYASFNMOHNGROMYVALNGKGA 124
DB 84 FYVAMNRRGRGLYSGRYSDCRRERIEENGNTYASRRMRHGRPMFLALDSOGIPRGG 143
QY 125 OKTRKNTSAHFLPMVYHS 143
DB 144 RTRRHQLSTHFLPYVSS 162
RESULT 5
FGFM_HUMAN
ID FGFM_HUMAN STANDARD; PRT; 170 AA.
AC Q9HCT0;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 16-OCT-2001 (Rel. 40, Last annotation update)
DE Fibroblast growth factor-22 precursor (FGF-22).
GN FGF22.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Cranialata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Homiidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE-21240339; PubMed-11342227;
RA Nakatake Y., Hoshikawa M., Asaki T., Kassai Y., Itoh N.;
RT "Identification of a novel fibroblast growth factor, FGF-22,
preferentially expressed in the inner root sheath of the hair
follicle."
RL Biochim. Biophys. Acta 1517:460-463(2001).
CC -1- FUNCTION: MAY BE INVOLVED IN HAIR DEVELOPMENT.
CC -1- SUBCELLULAR LOCATION: Secreted (Potential).
CC -1- SIMILARITY: BELONGS TO THE HEPARIN-BINDING GROWTH FACTORS FAMILY.
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC EMBL; AB021925; BAB13479.1; -
DR HSSP; P31371; IG82.
DR Genew; HGNC:3679; FGF22.
DR MIM; 605831; -
DR InterPro; IPR002209; HB/F-growthfact.
DR InterPro; IPR002348; ILI-HBGF.
DR Ptm; PF00167; FGF; 1.
DR PRINTS; PR00262; ILIHBGF.
DR Prodom; PD000831; HB/F-growthfact: 1.
DR SMART; SM00442; FGF; 1.
DR PROSITE; PS00247; HBGF_FGF; FALSE_NEG.
KW Growth factor; Signal.
FT SIGNAL 1 22
FT CHAIN 23 170
SQ SEQUENCE 170 AA; 19662 MW; CB88918C2D54AC7 CRC64;

[illegible]

[illegible]

```

QY 120 APRGCKTRKNTSAHFLPMVY 141
DB 172 LEVKGKTKKEOKTAHFLPMAI 193

RESULT 12
FGF3_BRARE STANDARD: PRT: 256 AA.
ID FGF3_BRARE STANDARD: PRT: 256 AA.
AC P48602;
DT 01-FEB-1996 (Rel. 33, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE Fibroblast growth factor-3 precursor (FGF-3) (HBGF-3).
GN FGF3 OR FGF-3.
OS Brachydanio rerio (zebrafish) (Danio rerio).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
OC Cyprinidae; Danio.
OC NCBI_TaxID=7955;
[1]
SEQUENCE FROM N.A.
MEDLINE=96204005; PubMed=8622866;
Kiefer P., Strahle U., Mason I., Dickson C.;
"Secretion and mitogenic activity of zebrafish FGF3 reveal
intermediate and mitogenic relative to mouse and Xenopus homologues."
Oncogene 12:1503-1511(1996).
CC -1- FUNCTION: POTENT MITOGEN AND TRANSFORMING AGENT (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE HEPARIN-BINDING GROWTH FACTORS FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL Outstation
CC at the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: Z48714; CAA88596.1; -
DR HSSP: P09038; IPRC;
DR ZFIN: ZDB-GENE-980526-178; fgf3.
DR InterPro: IPR002209; HB/F_growthfact.
DR InterPro: IPR002348; IL1_HBGF.
DR Pfam: PF00167; FGF_1.
DR PRINTS: PR00262; IL1HBGF.
DR PROSITE: PS00247; HB/F_growthfact; 1.
DR SMART: SM00442; FGF_1.
DR PROSITE: PS00247; HBGF_FGF_1.
DR Growth factor; Mitogen; Signal; Glycoprotein.
DR SIGNAL 18
DR CHAIN 19 256
DR SEQUENCE 256 AA; 28923 MW; CBAIC72A170BDDC CRC64;

Query Match 48.2%; Score 369; DB 1; Length 256;
Best Local Similarity 48.7%; Pred. No. 5,1e-28;
Matches 77; Conservative 23; Mismatches 34; Indels 24; Gaps 2;
QY 5 YNHLQGVWRKRLSFETTYFLKIEKNGKVSQTKKENCPSYILETTSVEIGVAVKAINSN 64
DB 54 YEHLGAPRRKRLCATKYHIOIHNGKIDGSEENNPLSILEITAVDVGVVAIKGLFSG 113
QY 65 YLLAMNKKGLYSGKEFNDDCKLERIEENGYNTYASFNMOHNG----- 108
DB 114 RYLANMKRRLYASVEFNECEFLERIEHLYNTYAS--RHHTATTPPGSGIGSKR 170
QY 109 -----ROMYVALNGKAPRGCKTRKNTSAHFLPMVY 141
DB 171 RASSKRWYVSYNGKRRRGFTNRSTDKASLFLPRVL 208

RESULT 13
FGF3_CHICK STANDARD: PRT: 220 AA.
ID FGF3_CHICK STANDARD: PRT: 220 AA.

```

```

AC P48601;
DT 01-FEB-1996 (Rel. 33, Created)
DT 01-FEB-1996 (Rel. 33, Last sequence update)
DT 16-OCT-2001 (Rel. 40, Last annotation update)
DE Fibroblast growth factor-3 precursor (FGF-3) (HBGF-3).
GN FGF3 OR FGF-3.
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OC NCBI_TaxID=9031;
OX [1]
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=Rhode Island red; TISSUE=Embryo;
RX MEDLINE=95309122; PubMed=7789270;
RA Mahmood R., Kiefer P., Guthrie S., Dickson C., Mason I.;
RT "Multiple roles for FGF-3 during cranial neural development in the
RT chicken."
RL Development 121:1399-1410(1995).
CC -1- FUNCTION: POTENT MITOGEN AND TRANSFORMING AGENT (BY SIMILARITY).
CC -1- SIMILARITY: BELONGS TO THE HEPARIN-BINDING GROWTH FACTORS FAMILY.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL Outstation
CC at the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC or send an email to license@isb-sib.ch).
CC -----
CC EMBL: Z47555; CAA87635.1; -
DR HSSP: P31371; I882.
DR InterPro: IPR002209; HB/F_growthfact.
DR InterPro: IPR002348; IL1_HBGF.
DR Pfam: PF00167; FGF_1.
DR PRINTS: PR00262; IL1HBGF.
DR PROSITE: PS00247; HB/F_growthfact; 1.
DR SMART: SM00442; FGF_1.
DR PROSITE: PS00247; HBGF_FGF_1.
DR Growth factor; Mitogen; Signal; Glycoprotein.
DR SIGNAL 19
DR CHAIN 20 220
DR CARBOHYD 66 66
DR SEQUENCE 220 AA; 25050 MW; B15D41DE51C9D5 CRC64;

Query Match 47.5%; Score 363; DB 1; Length 220;
Best Local Similarity 49.7%; Pred. No. 1.6e-27;
Matches 75; Conservative 25; Mismatches 39; Indels 12; Gaps 2;
QY 5 YNHLQGVWRKRLSFETTYFLKIEKNGKVSQTKKENCPSYILETTSVEIGVAVKAINSN 64
DB 37 YEHLGAPRRKRLCATKYHIOIHNGKIDGSEENNPLSILEITAVDVGVVAIKGLFSG 96
QY 65 YLLAMNKKGLYSGKEFNDDCKLERIEENGYNTYAS--FNMOHNG-----ROMY 112
DB 97 RYLANMKRRLYASVEFNECEFLERIEHLYNTYAS--RHHTATTPPGSGIGSKR 156
QY 113 VALNGKAPRGCKTRKNTSAHFLPMVY 143
DB 157 VSYNGKRRRGFTNRSTDKASLFLPRVLD 187

RESULT 14
FGF3_XENLA STANDARD: PRT: 237 AA.
ID FGF3_XENLA STANDARD: PRT: 237 AA.
AC P36386;
DT 01-JUN-1994 (Rel. 29, Created)
DT 01-JUN-1994 (Rel. 29, Last sequence update)
DT 01-NOV-1997 (Rel. 35, Last annotation update)
DE Fibroblast growth factor-3 precursor (FGF-3) (HBGF-3) (INT-2).
GN FGF3.
OS Xenopus laevis (African clawed frog).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

```

OC Amphibia; Batrachia; Anura; Mesobatrachia; Pipidae; Pipidae;
OC Xenopodinae; Xenopus.
OX NCBI_TaxID=8355;
RN [1]
RP SEQUENCE FROM N.A., AND PARTIAL SEQUENCE.
RX MEDLINE=94038898; PubMed=8223431;
RA Kiefer P., Machieu M., Close J.M., Peters G., Dickson C.;
RT "FGF3 from Xenopus laevis.";
RL EMBO J. 12:4159-4168(1993).
RN [2]
RP SEQUENCE OF 39-137 FROM N.A.
RC TISSUE=Neurula;
RX MEDLINE=93048831; PubMed=1425349;
RA Tannahill D., Isaacs H.V., Close M.J., Slack J.M.W.;
RT "Developmental expression of the Xenopus int-2 (FGF-3) gene;
RL development 115:695-702(1992).
CC -1- FUNCTION: POTENT MITOGEN AND TRANSFORMING AGENT.
CC -1- SIMILARITY: BELONGS TO THE HEPARIN-BINDING GROWTH FACTORS FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

DR EMBL: Z25539; CAA60987.1;
DR EMBL: X65237; CAA6341.1;
DR PIR: S39582; S39582.
DR PIR: S25713; S25713.
DR HSSP: P31371; 1G82.
DR InterPro: IPR002209; HB/F-growthfact.
DR InterPro: IPR002348; IIL_HBGF.
DR Pfam: PF00167; FGF_1.
DR PRINTS: PR00262; IILHBGF.
DR PRODOM: PD000831; HB/F-growthfact; 1.
DR SMART: SM00442; FGF_1.
DR PROSITE: PS00247; HBGF_FGF_1.
KW Growth factor; Mitogen; Signal; Glycoprotein.
FT SIGNAL 1 21
FT CHAIN 1 22 237 FIBROBLAST GROWTH FACTOR-3.
FT CARBOHYD 83 83 N-LINKED (GLCNAC...)
SQ SEQUENCE 237 AA; 26984 MW; EDD31B0893567A2D CRC64;

Query Match 46.8%; Score 358; DB 1; Length 237;
Best Local Similarity 49.7%; Pred. No. 5.2e-27;
Matches 74; Conservative 26; Mismatches 37; Indels 12; Gaps 2;

OY 5 YNHLGDVNRKRLFSFTYFLKIKNGKVSQTKKNCPSYSLITTSVEIGVAVKAINSN 64
DB 54 YEHLGAPRRKRLKCATKYHLQHLNKGKINGTLEKNSVSLIETAVDVIAIKGLFSG 113
OY 65 YLLAMNKKGLKYSKEFNNDCKLKERIEENGNYTYA--FNMWNG-----ROMY 112
DB 114 RYLAAMNCGRLYASETYNPECEFEVERIHELGYNTYASRLRYVSGATKRKASAEELMY 173
OY 113 VALNGKAPRRGQKTRRKNTSAHFLPMV 141
DB 174 VSIINGKGRPRGRKTRTKOKSSLEFLPVL 202

RESULT 15
FGF3_MOUSE
ID FGF3_MOUSE STANDARD; PRT: 245 AA.
AC P05524;
DT 01-NOV-1988 (Rel. 09, Created)
DT 01-NOV-1988 (Rel. 09, Last sequence update)
DT 15-JUN-2002 (Rel. 41, Last annotation update)
DE int-2 proto-oncogene protein precursor (fibroblast growth factor-3)
DE (FGF-3) (HBGF-3).
DE FGF3 OR FGF-3 OR INT-2.

OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=86247582; PubMed=3013624;
RA Moore R., Casey G., Brookes S., Dixon M., Peters G., Dickson C.;
RT "Sequence, topography and protein coding potential of mouse int-2: a
RL putative oncogene activated by mouse mammary tumour virus.";
RN EMBO J. 5:919-924(1986).
RN [2]
RP SEQUENCE OF 1-73 FROM N.A.
RX MEDLINE=88296404; PubMed=2841106;
RA Smith R., Peters G., Dickson C.;
RT "Multiple RNAs expressed from the int-2 gene in mouse embryonal
RT carcinoma cell lines encode a protein with homology to fibroblast
RT growth factors.";
RL EMBO J. 7:1013-1022(1988).
RN [3]
RP CHARACTERIZATION.
RX MEDLINE=91193291; PubMed=1964588;
RA Dickson C., Acland P., Smith R., Dixon M., Deed R., McAllan D.,
RA Wether W., Fuller-Pace F., Kiefer P., Peters G.;
RT "Characterization of int-2: a member of the fibroblast growth factor
RT family.";
RL J. Cell Sci. Suppl. 13:87-96(1990).
CC -1- FUNCTION: COULD BE INVOLVED IN EAR DEVELOPMENT.
CC -1- INDUCTION: BY INTEGRATION OF MOUSE MAMMARY TUMOR VIRUS.
CC -1- SIMILARITY: BELONGS TO THE HEPARIN-BINDING GROWTH FACTORS FAMILY.

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).

DR EMBL: Y00848; CAA68767.1;
DR PIR: A23930; TVMST2.
DR HSSP: P09038; 1BFG.
DR MGI: MGI:95517; Fgf3.
DR InterPro: IPR002209; HB/F-growthfact.
DR InterPro: IPR002348; IIL_HBGF.
DR Pfam: PF00167; FGF_1.
DR PRINTS: PR00262; IILHBGF.
DR PRODOM: PD000831; HB/F-growthfact; 1.
DR SMART: SM00442; FGF_1.
DR PROSITE: PS00247; HBGF_FGF_1.
KW Proto-oncogene; Growth factor; Mitogen; Signal; Glycoprotein.
FT SIGNAL 1 17
FT CHAIN 1 18 245 INT-2 PROTO-ONCOGENE PROTEIN.
FT CARBOHYD 65 65 N-LINKED (GLCNAC...)
SQ SEQUENCE 245 AA; 27214 MW; 70D94FD6A783C79 CRC64;

Query Match 46.1%; Score 352.5; DB 1; Length 245;
Best Local Similarity 51.0%; Pred. No. 1.8e-26;
Matches 76; Conservative 22; Mismatches 38; Indels 13; Gaps 3;

OY 5 YNHLGDVNRKRLFSFTYFLKIKNGKVSQTKKNCPSYSLITTSVEIGVAVKAINSN 64
DB 36 YEHLGAPRRKRLKCATKYHLQHLNKGKINGTLEKNSVSLIETAVDVIAIKGLFSG 94
OY 65 YLLAMNKKGLKYSKEFNNDCKLKERIEENGNYTYA--FNMWNG-----ROMY 112
DB 95 RYLAAMNCGRLYASDHYNAECEFEVERIHELGYNTYASRLRYTSSGPGAGQPGAGQRPWY 154
OY 113 VALNGKAPRRGQKTRRKNTSAHFLPMV 141
DB 155 VSVNGKGRPRGRKTRTKOKSSLEFLPVL 183

Tue Nov 19 11:09:07 2002

Search completed: November 18, 2002, 16:06:46
job time : 13 secs

us-09-284-100a-2_copy_66_208.rsp



GenCore version 5.1.3
Copyright (c) 1993 - 2002 CompuGen Ltd.

OM protein - protein search, using sw model

Run on: November 18, 2002, 16:05:12 ; Search time 30 seconds

(without alignments)
982.158 Million cell updates/sec

Title: US-09-284-100a-2_COPY_66_208
Perfect score: 765
Sequence: 1 HVRSYNIHLOGDVWRKRLFSF.....GOKTRKNTSAHFLPMVHS 143

Scoring table: BLOSUM62

Gapop 10.0 , Gapext 0.5

Searched: 671580 seqs, 206047115 residues

Minimum number of hits satisfying chosen parameters: 671580

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%

Listing first 45 summaries

Database :

1: SPREMBL_21.*
2: sp-archaea.*
3: sp-bacteria.*
4: sp-fungi.*
5: sp-human.*
6: sp-invertebrate.*
7: sp-mammal.*
8: sp-mmc.*
9: sp-organelle.*
10: sp-phage.*
11: sp-plant.*
12: sp-rodent.*
13: sp-virus.*
14: sp-vertebrate.*
15: sp-unclassified.*
16: sp-rvivirus.*
17: sp-bacteriophage.*
18: sp-archaeop.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	765	100.0	208	6	095K97 macaca fasc
2	755	98.7	208	4	096P59 homo sapien
3	749.5	98.0	213	6	09N1B9 Ognlb9 ovis aries
4	681	89.0	212	13	042407 O42407 gallus gall
5	560	73.2	201	13	080G59 O80G59 ambystoma m
6	497	65.0	111	13	090X71 O90X71 xenopus lae
7	483	63.1	134	13	090X03 O90X03 ambystoma m
8	480	62.7	112	13	090XP9 O90XP9 ambystoma m
9	437	57.1	162	11	08V179 O8V179 rattus norv
10	391.5	51.2	186	6	095147 O95147 mustela vis
11	386.5	50.5	185	11	09ERN5 O9ERN5 rattus norv
12	353.5	46.2	245	11	08R5L9 O8R5L9 rattus norv
13	327	42.7	208	6	095112 O95112 sus scrofa
14	319	41.7	207	11	09ER05 O9ER05 mus musculu
15	312	40.8	207	11	09ESL8 O9ESL8 mus musculu
16	309	40.4	129	4	060371 O60371 homo sapien

17	305	39.9	212	11	09ESL9 O9ESL9 mus musculu
18	304	39.7	208	13	09PYV1 O9PYV1 xenopus lae
19	302	39.5	212	11	09EST9 O9EST9 rattus norv
20	281.5	36.8	97	4	09NSU0 O9NSU0 homo sapien
21	256.5	33.5	191	13	09DFC9 O9DFC9 brachydanio
22	251	32.8	192	11	09ERW3 O9ERW3 rattus norv
23	251	32.8	199	13	09ERW3 O9ERW3 rattus norv
24	251	32.8	245	13	09W6A2 O9W6A2 gallus gall
25	248	32.4	245	11	08VCY9 O8VCY9 mus musculu
26	245.5	32.0	196	13	09YH31 O9YH31 notophthalm
27	244.5	32.0	124	13	090X05 O90X05 ambystoma m
28	244	31.9	181	13	090X05 O90X05 ambystoma m
29	244	31.9	181	13	09A177 O9A177 gallus gall
30	242	31.6	127	4	09W6A1 O9W6A1 gallus gall
31	241	31.5	181	11	09YGD8 O9YGD8 homo sapien
32	241	31.5	181	11	08TRB5 O8TRB5 homo sapien
33	241	31.5	302	11	0924B4 O924B4 rattus norv
34	240.5	31.4	208	11	09CSX5 O9CSX5 mus musculu
35	238	31.1	73	6	08R5L5 O8R5L5 rattus norv
36	238	31.1	301	5	097573 O97573 sus scrofa
37	235.5	30.8	206	13	08R8A3 O8R8A3 ciona savig
38	235	30.7	153	6	09YGD8 O9YGD8 oncorhynch
39	222.5	29.1	111	13	08S073 O8S073 canis faml
40	215	28.1	155	13	090X01 O90X01 ambystoma m
41	213	27.8	211	11	08R4X0 O8R4X0 fuigu rubrip
42	213	27.8	247	11	08R5L7 O8R5L7 rattus norv
43	212	27.8	252	11	089096 O89096 rattus norv
44	212	27.7	237	13	091A16 O91A16 rattus gall
45	212	27.7	253	13	091A15 O91A15 gallus gall

ALIGNMENTS

RESULT 1
095K97 PRELIMINARY: PRT: 208 AA.
ID 095K97
AC 095K97
DT 01-DEC-2001 (TREMBLrel. 19, Created)
DT 01-DEC-2001 (TREMBLrel. 19, Last sequence update)
DT 01-JUN-2002 (TREMBLrel. 21, Last annotation update)
DE Hypothetical 23.5 kDa protein.
OS Macaca fascicularis (Crab eating macaque) (Cynomolgus monkey).
OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecoidea;
OC Cercopithecoidea; Macaca.
OX NCBI_Taxid=9541;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=MEDULLA OBLONGATA;
RA Osada N., Hida M., Kusuda J., Tanuma R., Iseki K., Hirai M., Terao K.,
RA Suzuki Y., Sugano S., Hashimoto K.;
RT "Isolation of full-length cDNA clones from macaque brain cDNA
RT libraries";
RL Submitted (JUN-2001) to the EMBL/GenBank/DBJ databases.
DR EMBL: AB063051; BAB60779.1;
DR InterPro: IPR002209; HB/F_growthfact.
DR Pfam: PF00167; FGF_1.
DR PRODOM: PD000831; HB/F_growthfact; 1.
DR PROSITE: PS00247; HBGF_FGF; UNKNOWN_1.
KW Hypothetical protein.
SQ
SEQUENCE 208 AA: 23466 MW: 0766A787609B3661 CRC64;
Query Match 100.0%; Score 765; DB 6; Length 208;
Best Local Similarity 100.0%; Pred. No. 5.1e-61;
Matches 143; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 HVRSYNIHLOGDVWRKRLFSFTKYFLKTEKNGVSGTKKEMCPYSILETTSVEIGVAVAKA 60
DB 66 HVRSYNIHLOGDVWRKRLFSFTKYFLKTEKNGVSGTKKEMCPYSILETTSVEIGVAVAKA 125
QY 61 INSNYLANMKKGLYSKEFNNDCKLKERIEENGYNYTASPMOHNGROMYVLANKGKA 120
|||||

RESULT 5

080G59 ID 080G59 PRELIMINARY: PRT: 201 AA.
 AC 080G59.
 DT 01-JUN-2002 (TREMBlrel. 21, Created)
 DT 01-JUN-2002 (TREMBlrel. 21, Last sequence update)
 DT 01-JUN-2002 (TREMBlrel. 21, Last annotation update)
 DE Fibroblast growth factor 10.
 OS Ambystoma mexicanum (Axolotl).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Amphibia; Batrachia; Caudata; Salamandroidea; Ambystomatidae;
 OC Ambystoma.
 OX NCBI_TaxID=8296;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=21826199; PubMed=11836784;
 RA Christensen R.N., Weinstein M., Tassava R.A.;
 RT "Expression of fibroblast growth factors 4, 8, and 10 in limbs,
 flanks, and blastemas of Ambystoma.";
 RL Dev. Dyn. 223:193-203(2002).
 EMBL: AY034453; AAK59700.1;
 SEQUENCE 201 AA; 22994 MW; 89EA1E61806A6F57 CRC64;

Query Match 73.2%; Score 560; DB 13; Length 201;
 Best Local Similarity 70.7%; Pred. No. 1,2e-42;
 Matches 99; Conservative 22; Mismatches 19; Indels 0; Gaps 0;

OY 2 VRSYVHLLGDVVRMRKLFSTFKYFLKIEKNGVSGTKKENCPSILETTSVEIGVAVAKAI 61
 DB 56 VRSYVHLLGDVVRMRKLFSTFKYFLKIEKNGVSGTKKENCPSILETTSVEIGVAVAKAI 115
 OY 62 NSNYLLAMNKGKLYGSKFENNDCKLERIEENGNTYASFPMOHNGROMYVALNGKGP 121
 DB 116 YSNYLLAMNKGKLYGSKFENNDCKLERIEENGNTYASFPMOHNGROMYVALNGKGP 175
 OY 122 RRGOKTRRKNTSAHFLPMV 141
 DB 176 RRGOKTRRKNTSAHFLPMQI 195

RESULT 6

090Y71

ID 090Y71 PRELIMINARY: PRT: 111 AA.

AC 090Y71.
 DT 01-DEC-2001 (TREMBlrel. 19, Created)
 DT 01-DEC-2001 (TREMBlrel. 19, Last sequence update)
 DT 01-JUN-2002 (TREMBlrel. 21, Last annotation update)
 DE Fibroblast growth factor-10 (Fragment).
 OS FGF-10.
 OC Xenopus laevis (African clawed frog).
 OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
 OC Amphibia; Batrachia; Anura; Mesobatrachia; Pipidae;
 OC Xenopodidae; Xenopus.
 OX NCBI_TaxID=8355;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Yokoyama H., Yonel-Tamura S.;
 RL Submitted (OCT-2001) to the EMBL/Genbank/DBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.

RX MEDLINE=20136688; PubMed=10677252;
 RA Yokoyama H., Yonel-Tamura S., Endo T., Izpisua Belmonte J., Tamura K.,
 Ide H.;
 RT "Mesenchyme with fgf-10 expression is responsible for regenerative
 capacity in Xenopus limb buds.";
 RL Dev. Biol. 219:18-29(2000).
 DR EMBL: AB073747; BAB71729.1;
 DR InterPro: IPR002209; HB/F-growthfact.
 DR Pfam: PF00167; FGF. 1.
 DR ProDom: PD000831; HB/F-growthfact; 1.
 DR PROSITE: PS00247; HBGF_FGF; UNKNOWNW_1.
 FT NON_TER 1 111
 FT NON_TER 1 111
 SO SEQUENCE 111 AA; 12827 MW; 79656CA53BD60D1 CRC64;

Query Match 65.0%; Score 497; DB 13; Length 111;
 Best Local Similarity 82.9%; Pred. No. 2.8e-37;
 Matches 92; Conservative 12; Mismatches 7; Indels 0; Gaps 0;

OY 5 YNHLGDVVRMRKLFSTFKYFLKIEKNGVSGTKKENCPSILETTSVEIGVAVAKAINSN 64
 DB 1 YNHLGDVVRMRKLFSTFKYFLKIEKNGVSGTKKENCPSILETTSVEIGVAVAKAINSN 60
 OY 65 YLLAMNKGKLYGSKFENNDCKLERIEENGNTYASFPMOHNGROMYVAL 115
 DB 61 YLLAMNKGKLYGSKFENNDCKLERIEENGNTYASFPMOHNGROMYVAL 111

RESULT 7

090X03

ID 090X03 PRELIMINARY: PRT: 134 AA.

AC 090X03.
 DT 01-DEC-2001 (TREMBlrel. 19, Created)
 DT 01-DEC-2001 (TREMBlrel. 19, Last sequence update)
 DT 01-JUN-2002 (TREMBlrel. 21, Last annotation update)
 DE Fibroblast growth factor 10 (Fragment).
 OS Ambystoma mexicanum (Axolotl).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Amphibia; Batrachia; Caudata; Salamandroidea; Ambystomatidae;
 OC Ambystoma.
 OX NCBI_TaxID=8296;
 RN [1]
 RP SEQUENCE FROM N.A.

RX MEDLINE=21439472; PubMed=11555861;
 RA Christensen R.N., Weinstein M., Tassava R.A.;
 RT "Fibroblast growth factors in regenerating limbs of Ambystoma: Cloning
 and semi-quantitative RT-PCR expression studies.";
 RL J. Exp. Zool. 290:529-540(2001).
 EMBL: AF360986; AAL16959.1;
 DR InterPro: IPR002209; HB/F-growthfact.
 DR Pfam: PF00167; FGF. 1.
 DR ProDom: PD000831; HB/F-growthfact; 1.
 FT NON_TER 1 134
 FT NON_TER 1 134
 SO SEQUENCE 134 AA; 15317 MW; 678E26418972CBAE CRC64;

Query Match

Best Local Similarity 63.1%; Score 483; DB 13; Length 134;
 Matches 85; Conservative 20; Mismatches 18; Indels 0; Gaps 0;

OY 2 VRSYVHLLGDVVRMRKLFSTFKYFLKIEKNGVSGTKKENCPSILETTSVEIGVAVAKAI 61
 DB 12 VRSYVHLLGDVVRMRKLFSTFKYFLKIEKNGVSGTKKENCPSILETTSVEIGVAVAKAI 71
 OY 62 NSNYLLAMNKGKLYGSKFENNDCKLERIEENGNTYASFPMOHNGROMYVALNGKGP 121
 DB 72 YSNYLLAMNKGKLYGSKFENNDCKLERIEENGNTYASFPMOHNGROMYVALNGKGP 131
 OY 122 RRG 124
 DB 132 RRG 134

RESULT 8

090XP9

ID 090XP9 PRELIMINARY: PRT: 112 AA.

AC 090XP9.
 DT 01-DEC-2001 (TREMBlrel. 19, Created)
 DT 01-DEC-2001 (TREMBlrel. 19, Last sequence update)
 DT 01-JUN-2002 (TREMBlrel. 21, Last annotation update)
 DE Fibroblast growth factor 10 (Fragment).
 OS Ambystoma maculatum (spotted Salamander).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Amphibia; Batrachia; Caudata; Salamandroidea; Ambystomatidae;
 OC Ambystoma.
 OX NCBI_TaxID=43114;
 RN [1]

SEQUENCE FROM N.A.
 RX MEDLINE-21439472; PubMed-11555861;
 RA Christensen R.N., Weinstein M., Tassava R.A.;
 RT "Fibroblast growth factors in regenerating limbs of Ambystoma: Cloning
 and semi-quantitative RT-PCR expression studies."
 RL J. Exp. Zool. 290:529-540(2001).
 DR EMBL; AF360990; AAL16963.1;
 DE InterPro: IPR002209; HB/F_growthfact.
 DR Pfam: PF00167; FGF.1.
 DR Prodom: PD000831; HB/F_growthfact; 1.
 DR NON_TER 1
 FT NON_TER 1
 SO SEQUENCE 112 AA; 1286 MW; F5D8EC6B13C479C9 CRC64;

Query Match 62.7%; Score 480; DB 13; Length 112;
 Best Local Similarity 75.0%; Pred. No. 9.3e-36;
 Matches 84; Conservative 17; Mismatches 11; Indels 0; Gaps 0;

OY 28 EKNGVSGTKREKNCYPSILEITVSEIGVAVAKAINSYLLAMNKKGLYSGKEFNNDCKL 87
 1 EKNGVSGTKREKNCYPSILEITVSEIGVAVAKAINSYLLAMNKKGLYSGKEFNNDCKL 60
 OY 88 KRRIENGNTYASFNMOHNGOMVALNGCAPRGCKTKRNTSAHFLPM 139
 61 KERMEKNYNTYASYKMRKOROMVALNGKGTFRGOKTKRNTSAHFLPM 112

RESULT 9
 OY 179 PRELIMINARY: PRT; 162 AA.

AC O8V179;
 DT 01-MAR-2002 (TREMBLrel. 20, Created)
 DT 01-MAR-2002 (TREMBLrel. 20, Last sequence update)
 DT 01-JUN-2002 (TREMBLrel. 21, Last annotation update)
 DE Fibroblast growth factor 22.
 GN FGF22.
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Itoh N.;
 RT Submitted (JAN-2002) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AB078902; BAB84300.1;
 DR InterPro: IPR002209; HB/F_growthfact.
 DR Pfam: PF00167; FGF.1.
 DR PRINTS: PR00262; IL1_HBGF.
 DR Prodom: PD000831; HB/F_growthfact; 1.
 DR SMART: SM00442; FGF.1.
 DR PROSITE: PS00247; HBGF_FGF; UNKNOWN_1.
 SO SEQUENCE 162 AA; 18961 MW; 3100F25D105F5ED3 CRC64;

Query Match 57.1%; Score 437; DB 11; Length 162;
 Best Local Similarity 54.0%; Pred. No. 1e-31; Indels 0; Gaps 0;
 Matches 75; Conservative 34; Mismatches 30; Indels 0; Gaps 0;
 OY 5 YNHLGADVWRKLESTFKYFLKIEKNKGVSGTKREKNCYPSILEITVSEIGVAVAKAINSN 64
 24 YPHLEDVWRKLESTFKYFLKIEKNKGVSGTKREKNCYPSILEITVSEIGVAVAKAINSG 83
 OY 65 YLLAMNKKGLYSGKEFNNDCKLERIENGNTYASFNMOHNGOMVALNGCAPRG 124
 84 FYVAMNRGLYSGRVSVDGCRERIEENGNTYASRMRHHRGMPALDSOGIPRG 143
 OY 125 QKTRKNTSAHFLPMYVHS 143
 144 KTRRHOGLSTHFLPLVSS 162

RESULT 10

O95L47
 ID O95L47 PRELIMINARY: PRT; 186 AA.

AC O95L47;
 DT 01-DEC-2001 (TREMBLrel. 19, Created)
 DT 01-DEC-2001 (TREMBLrel. 19, Last sequence update)
 DT 01-JUN-2002 (TREMBLrel. 21, Last annotation update)
 DE Keratinocyte growth factor FGF-7 (Fragment).
 OS Mustela vison (American mink).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Carnivora; Fissipedia; Mustelidae; Mustelinae;
 OC Mustela.
 OX NCBI_TaxID=9667;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Billingsley J.T., Rose W.;
 RT "Keratinocyte growth factor expression in mink (Mustela vison) skin
 during natural and artificially induced winter fur growth."
 RL Submitted (SEP-2001) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF420232; AAL16059.1;
 DR InterPro: IPR002209; HB/F_growthfact.
 DR Pfam: PF00167; FGF.1.
 DR Prodom: PD000831; HB/F_growthfact; 1.
 DR PROSITE: PS00247; HBGF_FGF; UNKNOWN_1.
 DR NON_TER 186
 FT NON_TER 186
 SO SEQUENCE 186 AA; 21618 MW; A17ACA0409802C68 CRC64;

Query Match 51.2%; Score 391.5; DB 6; Length 186;
 Best Local Similarity 54.2%; Pred. No. 1.4e-27;
 Matches 71; Conservative 28; Mismatches 31; Indels 1; Gaps 1;

OY 1 HRSYVNHQ-GDVWRKLESTFKYFLKIEKNKGVSGTKREKNCYPSILEITVSEIGVAVAK 59
 52 HRSYVNHQ-GDVWRKLESTFKYFLKIEKNKGVSGTKREKNCYPSILEITVSEIGVAVAK 111
 OY 60 AINSNYLLAMNKKGLYSGKEFNNDCKLERIENGNTYASFNMOHNGOMVALNGKG 119
 112 GVESEYLLAMNKKGLYSGKEFNNDCKLERIENGNTYASFNMOHNGOMVALNGKG 171
 OY 120 APRRGCKTRK 130
 172 VPRGCKTRKE 182

RESULT 11

O9ERN5
 ID O9ERN5 PRELIMINARY: PRT; 185 AA.

AC O9ERN5;
 DT 01-MAR-2001 (TREMBLrel. 16, Created)
 DT 01-MAR-2001 (TREMBLrel. 16, Last sequence update)
 DT 01-JUN-2002 (TREMBLrel. 21, Last annotation update)
 DE FGF7/KGF (Fragment).
 OS Rattus norvegicus (Rat).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
 OX NCBI_TaxID=10116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA STRAIN-DARK AGURI;
 RA Choi J.K.W., Gibbins J.R., Hunter N., Lyons J.G., Tazawa M.Y.,
 Walker D.M.;
 RT "Novel CD44 splice variants associated with changes in Alternative
 Splicing of FGF-2 and Expression of FGF-2, FGF-7, E-Cadherin and
 Sholl."
 RL Submitted (AUG-2000) to the EMBL/GenBank/DBJ databases.
 DR EMBL; AF295300; AAG31597.1;
 DR HSSP: P31371; 1G82.
 DR InterPro: IPR002209; HB/F_growthfact.
 DR Pfam: PF00167; FGF.1.
 DR PRINTS: PR00262; IL1_HBGF.
 DR Prodom: PD000831; HB/F_growthfact; 1.
 DR SMART: SM00442; FGF.1.
 DR PROSITE: PS00247; HBGF_FGF; 1.

SEQUENCE FROM N.A.
Paradis V. Silverides D. H.

173 EGYPTKROKFTHELPRV 19

173 EGYPTKROKFTHELPRV 19

SEARCH REQUEST FORM

Requestor's

Name: _____

Serial

Number: _____

Date: _____

Phone: _____

Art Unit: _____

Search Topic:

Please write a detailed statement of search topic. Describe specifically as possible the subject matter to be searched. Define any terms that may have a special meaning. Give examples or relevant citations, authors keywords, etc., if known. For sequences, please attach a copy of the sequence. You may include a copy of the broadest and/or most relevant claim(s).

STAFF USE ONLY

Date completed: 11-19-02Searcher: Beverly C 4994Terminal time: 20

Elapsed time: _____

CPU time: _____

Total time: 23

Number of Searches: _____

Number of Databases: 1

Search Site

_____ STIC

_____ CM-1

_____ Pre-S

Type of Search

_____ N.A. Sequence

_____ A.A. Sequence

_____ Structure

_____ Bibliographic

Vendors

_____ IG Suite

_____ STN

_____ Dialog

_____ APS

_____ Geninfo

_____ SDC

_____ DARC/Questel

✓ _____ Other CGN



STIC-Biotech/ChemLib

80400

From: Kemmerer, Elizabeth
Sent: Monday, November 18, 2002 12:51 PM
To: STIC-Biotech/ChemLib
Subject: seq search req

Please search amino acids 66 to 208 of SEQ ID NO: 2 for 09/284100.

Thanks,

Elizabeth (Betsy) Kemmerer
Art Unit 1646
308-2673
CM1-10B17
Mailbox: 10D19

CRIT

According to the Pre Publication Rules, every patent application received by the United States Patent and Trademark Office after November 29, 2000 will be pre-published at eighteen months from the effective filing date. When the application is published the contents, including the sequences, will become prior art.

Two new databases have been created to hold the pre-published sequences:

Published_Applications_NA contains nucleic acid sequences; the search results will have the extension **.rnpb**.

Published_Applications_AA contains amino acid sequences; the search results will have the extension **.rapb**.

Each pre-published application is given a unique Publication Number. An example of a Publication Number is US20021234567A1. The "US" indicates the application was a U.S. application. The first 4 digits show the calendar year the application was published. The next 7 digits represent when the application was published. This 7-digit number starts at zero at the beginning of each calendar year. Each application published is given the next number in order. The "A" indicates a utility patent application and the "1" shows that this was the first time the application had been published. If the applicants submit changes to the application, they may request that the changed application be published again. In such instances, the "1" at the end of the number would be replaced by a "2".

Sequences in the PGPub database are public information; it is permissible to leave these results in the case.

Searcher: _____
Phone: _____
Location: _____
Date Picked Up: _____
Date Completed: _____
Searcher Prep/Review: _____
Clerical: _____
Online time: _____

TYPE OF SEARCH:
NA Sequences: _____
AA Sequences: _____
Structures: _____
Bibliographic: _____
Litigation: _____
Full text: _____
Patent Family: _____
Other: _____

VENDOR/COST (where applicable)
STN: _____
DIALOG: _____
Questel/Orbit: _____
DRLink: _____
Lexis/Nexis: _____
Sequence Sys.: _____
WWW/Internet: _____
Other (specify): _____

